



## CALL FOR TENDER ACTED [TURKIYE] Instructions to Bidders

Date: 05/03/2024  
Tender N°: T/17FUM/ETT/LMN-LMU/HAT-ADY/Program/05-03-2024/11

Through this tender ACTED is requesting a company to provide detailed written offers for the supply and installation of Light maintenance - connections of networks & upgrade of facilities (Turkey- Adiyaman and Hatay)

### LOT 1: PRODUCT SPECIFICATIONS:

- |                           |  |
|---------------------------|--|
| 1. Description:           | <b>Latrine &amp; shower Exoskeleton – supply and/or installation</b> |
| 2. Delivery address:      | Hatay/Adyaman  |
| 3. Quantity/unit:         | To be determined. (Daha sonra bildirilecek)                          |
| 4. Modality of delivery:  | DDP on Acted distribution sites.                                     |
| 5. Market share estimate: | 20,000.00 USD  |

### LOT 2: PRODUCT SPECIFICATIONS:

- |                           |  |
|---------------------------|--|
| 1. Description:           | <b>Interior accessories – supply and/or installation</b> |
| 2. Delivery address:      | Hatay/Adyaman  |
| 3. Quantity/unit:         | To be determined. (Daha sonra bildirilecek)              |
| 4. Modality of delivery:  | DDP on Acted distribution sites.                         |
| 5. Market share estimate: | 20,000.00 USD  |

### LOT 3: PRODUCT SPECIFICATIONS:

- |                           |   |
|---------------------------|---|
| 1. Description:           | <b>Connections – supply and/or installation</b> |
| 2. Delivery address:      | Hatay/Adyaman                                   |
| 3. Quantity/unit:         | To be determined. (Daha sonra bildirilecek)     |
| 4. Modality of delivery:  | DDP on Acted distribution sites.                |
| 5. Market share estimate: | 20,000.00 USD                                   |

### LOT 4: PRODUCT SPECIFICATIONS:

- |                           |   |
|---------------------------|---|
| 1. Description:           | <b>Other Works</b>                          |
| 2. Delivery address:      | Hatay/Adyaman                               |
| 3. Quantity/unit:         | To be determined. (Daha sonra bildirilecek) |
| 4. Modality of delivery:  | DDP on Acted distribution sites.            |
| 5. Market share estimate: | 20,000.00 USD                               |

A detailed list of requested products is provided in the attached Offer Form.

This Request for quotation is composed of:

- An instruction to bidder, explaining all the rules of the tender.
- An evaluation criteria table, explaining the technical selection criteria.
- An offer form, that must be filled out by bidders.
- A technical offer form, that must be filled out by bidders.
- Term of Reference and Bill of Quantity.





## İHALE ÇAĞRISI ACTED [TÜRKİYE] Teklif Sahiplerine Yönelik Talimatlar

Tarih: 05/03/2024  
İhale No°: T/17FUM/ETT/LMN-LMU/HAT-ADY/Program/05-03-2024/11

Bu ihale aracılığıyla ACTED, Türkiye'nin Adıyaman ve Hatay bölgelerinde, Ağların Bağlantılarının Hafif Bakımı ve Tesislerin Yükseltilmesi için detaylı yazılı teklifler sunması için bir şirketten talep ediyor.

### LOT 1: ÜRÜN ÖZELLİKLERİ:

- |                        |  |
|------------------------|--|
| 1. Açıklama :          | <b>Tuvalet ve duş iskeleti - tedarik ve/veya montaj</b>      |
| 2. Teslimat Adresi:    | Hatay/Adyaman  |
| 3. Miktar/Birim:       | (Daha sonra bildirilecek)                                    |
| 4. Teslimat şekli:     | Acted dağıtım sitelerine Teslim edilmiş (tüm maliyet dahil). |
| 5. Pazar payı tahmini: | 20,000.00 USD  |

### LOT 2: ÜRÜN ÖZELLİKLERİ:

- |                        |  |
|------------------------|--|
| 1. Açıklama:           | <b>İç aksesuarlar - tedarik ve/veya montaj</b>               |
| 2. Teslimat Adresi:    | Hatay/Adyaman  |
| 3. Miktar/Birim:       | (Daha sonra bildirilecek)                                    |
| 4. Teslimat şekli:     | Acted dağıtım sitelerine Teslim edilmiş (tüm maliyet dahil). |
| 5. Pazar payı tahmini: | 20,000.00 USD  |

### LOT 3: ÜRÜN ÖZELLİKLERİ:

- |                        |  |
|------------------------|--|
| 1. Açıklama:           | <b>Bağlantılar - tedarik ve/veya montaj</b>                  |
| 2. Teslimat Adresi:    | Hatay/Adyaman  |
| 3. Miktar/Birim:       | (Daha sonra bildirilecek)                                    |
| 4. Teslimat şekli:     | Acted dağıtım sitelerine Teslim edilmiş (tüm maliyet dahil). |
| 5. Pazar payı tahmini: | 20,000.00 USD  |

### LOT 4: ÜRÜN ÖZELLİKLERİ:

- |                        |  |
|------------------------|--|
| 1. Açıklama:           | <b>Diğer İşler</b>   |
| 2. Teslimat Adresi:    | Hatay/Adyaman  |
| 3. Miktar/Birim:       | (Daha sonra bildirilecek)                                    |
| 4. Teslimat şekli:     | Acted dağıtım sitelerine Teslim edilmiş (tüm maliyet dahil). |
| 5. Pazar payı tahmini: | 20,000.00 USD  |

Ekteki Teklif Formunda talep edilen ürünlerin detaylı listesi bulunmaktadır.

Bu Teklif Talebi şunlardan oluşmaktadır:

- İhaleye katılım talimatı, ihaledeki tüm kuralları açıklayan.
- Teknik seçim kriterlerini açıklayan bir değerlendirme kriteri tablosu.
- Teklif sahipleri tarafından doldurulması gereken bir teklif formu.
- Teklif sahipleri tarafından doldurulması gereken bir teknik teklif formu.
- İş Tanımı ve Miktar Listesi.



**TERMS OF REFERENCE (TORs)**

Light maintenance - connections of networks & upgrade of facilities (Turkey- Adiyaman and Hatay)

**BACKGROUND:**

During the 2023 intervention, ACTED did implement and cover the lifesaving emergency sanitation needs (i.e. latrines, bathrooms, water trucking, water storage, garbage bins, distribution of hygiene kits and hygiene promotion) of 70,000 earthquake affected individuals in the hardest hit provinces of Türkiye – Hatay, Adiyaman and Kahramanmaraş.

**OBJECTIVE:**

ACTED seeks a company to cover the light, small-scale maintenance of water and/or sewage networks, as well as, will focus on critical WASH facilities such as latrine and shower units. Acted will closely coordinate with local water agencies to identify instances of high need for such maintenance against an inability for authorities to rapidly proceed with the works.

Or to provide local agencies with the necessary materials and equipment (tools, pipes, taps, etc.) to conduct the works themselves, while monitoring their actual completion.

Additionally, will continue to connect recently installed facilities, such as shower and latrine units, to the sewage and water network. Acted will closely coordinate with local water agencies to identify facilities that remain unconnected, and for which authorities are unable to rapidly proceed with the connection despite a high level of need for such facilities.

Acted will maintain a flexible capacity to deploy light maintenance, repairs and/or upgrades of WASH facilities based on needs identified through regular assessments, alerts from humanitarian partners, or requests from local authorities. This support will aim at maintaining sufficient (per SPHERE standards) and culturally appropriate (per standards provided to Acted by AFAD) facilities. Attention will be put on preserving the cultural appropriateness and accessibility of the facilities.

The total number of facilities targeted under this activity will largely depend upon the needs, as the connection and maintenance works may vary largely in cost from one network to the next. These include informal locations in Antakya, Kırıkhan, Defne, and Samandağ districts; formal sites Alsancak Container City, Atış Alanı Container City, Bahcelievler Container City, Opet Container City, Kırgız Tent City, and Hilalkent Container City in Hatay province; as well as in Adiyaman in Kayacık, Yalankoz, Karaağaç, Kayacık, Oluklu, Yunus Emre, Sümerevler, Bebek Village, Başpınar Village, Dişbudak Village, Gölpınar Village, Güzelyurt Village, Incebağ Village, Kızılcapınar Village, Kızılcahöyük Village, Boztepe Village, Yedioluk Village, Ağaçonak Village, Büklüm Village, and Aksu Village.

Based on actual needs, Acted may not target all of these sites, and may target others.

**OUTPUTS:**

1. Conduct light maintenance and repairs of critical water and sewage networks in the specified areas.
2. Ensure timely connections of new networks to existing infrastructure.
3. Upgrade critical Water, Sanitation, and Hygiene (WASH) facilities to enhance functionality and efficiency.
4. Upgrade WASH facilities based on agreed-upon specifications and requirements.
5. Supply and transfer materials.



**GÖREV TANIMLARI (TOR's)**

Hafif Bakım - Ağ Bağlantıları ve Tesislerin Yükseltilmesi (Türkiye - Adıyaman ve Hatay)

**ARKA PLAN:**

2023 müdahalesi sırasında, ACTED Türkiye'nin en çok etkilenen illeri olan Hatay, Adıyaman ve Kahramanmaraş'ta 70.000 deprem etkilenmiş bireyin hayat kurtaran acil sanitasyon ihtiyaçlarını (yani tuvaletler, banyolar, su taşıma, su depolama, çöp konteynerleri, hijyen kitlerinin dağıtımı ve hijyen tanıtımı) karşılamıştır.

**AMAÇ:**

ACTED, su ve/veya kanalizasyon ağlarının hafif, küçük ölçekli bakımını üstlenecek bir şirket arıyor ve ayrıca, tuvalet ve duş üniteleri gibi kritik WASH tesislerine odaklanacaktır. ACTED, yerel su kurumlarıyla yakın bir şekilde koordine ederek, yetkililerin işlere hızla başlamakta yetersiz kaldığı yüksek bakım ihtiyacı durumlarını belirleyecektir.

Ya da yerel kurumlara gerekli malzemeleri ve ekipmanı (araçlar, borular, musluklar vb.) kendilerinin çalışmalarını yürütmeleri için sağlayacak ve gerçek tamamlamalarını izleyecektir.

Ayrıca, duş ve tuvalet üniteleri gibi yeni kurulan tesisleri kanalizasyon ve su ağına bağlamaya devam edecektir. ACTED, hala bağlanmamış tesisleri belirlemek için yerel su kurumlarıyla yakın bir şekilde koordine edecek ve yetkililerin, böylesine tesislerin yüksek bir ihtiyacı olmasına rağmen bağlantı işlemlerini hızla gerçekleştiremedikleri durumları için.

ACTED, düzenli değerlendirmelerde belirlenen ihtiyaçlara, insani ortaklardan gelen uyarılara veya yerel otoritelerin taleplerine dayanarak WASH tesislerinin hafif bakımını, tamirini ve/veya yükseltmelerini sağlayacak esnek bir kapasiteyi sürdürecektir. Bu destek, yeterli (SPHERE standartlarına göre) ve AFAD tarafından ACTED'e sağlanan standartlara uygun tesislerin sürdürülmesini amaçlayacaktır. Tesislerin kültürel uygunluğu ve erişilebilirliğinin korunmasına dikkat edilecektir.

Bu faaliyet kapsamında hedeflenen toplam tesis sayısı, bağlantı ve bakım çalışmalarının maliyeti ağıdan ağına büyük ölçüde değişebileceğinden, ihtiyaçlara bağlı olarak büyük ölçüde değişecektir. Bunlar, Antakya, Kırıkhan, Defne ve Samandağ ilçelerindeki gayri resmi konumları; Hatay ilindeki resmi siteler Alsancak Konteyner Kenti, Atış Alanı Konteyner Kenti, Bahçelievler Konteyner Kenti, Opet Konteyner Kenti, Kırgız Çadır Kenti ve Hilalkent Konteyner Kenti; ayrıca Adıyaman'da Kayacık, Yalankoz, Karaağaç, Oluklu, Yunus Emre, Sümerevler, Bebek Köyü, Başpınar Köyü, Dışbudak Köyü, Gölpınar Köyü, Güzelyurt Köyü, Incebağ Köyü, Kızılcapınar Köyü, Kızılcahöyük Köyü, Boztepe Köyü, Yedioluk Köyü, Ağaçonak Köyü, Büklüm Köyü ve Aksu Köyü.

Gerçek ihtiyaçlara dayanarak, ACTED tüm bu siteleri hedefleyebilir ve başka yerleri hedefleyebilir.

**ÇIKTILAR:**

- 1- Belirtilen alanlardaki kritik su ve kanalizasyon ağlarının hafif bakımını ve onarımlarını gerçekleştirmek.
- 2- Yeni ağların mevcut altyapıya zamanında bağlanmasını sağlamak.
- 3- Kritik Su, Sanitasyon ve Hijyen (WASH) tesislerini işlevselliği ve verimliliği artırmak için yükseltmek.
- 4- Kabul edilen özellikler ve gereksinimlere dayanarak WASH tesislerini yükseltmek.
- 5- Malzemeleri sağlamak ve transfer etmek.



**Evaluation Criteria:**

Please refer to **Annex 1**

**Maintenance requirements:**

1. **Light Maintenance and Connections of Critical Water and Sewage Networks:**
  - Compliance with safety standards and regulations in performing maintenance tasks.
  - Timeliness and efficiency in addressing issues related to water and sewage networks.
  - Ability to quickly respond to emergency maintenance requests.
  - Quality of workmanship and effectiveness in ensuring the smooth operation of networks.
2. **Light Maintenance and Upgrade of Critical WASH Facilities:**
  - Adherence to technical specifications and standards during maintenance and upgrade activities.
  - Improvement in functionality and usability of WASH facilities post-maintenance or upgrade.
  - Innovation and creativity in proposing cost-effective solutions for facility upgrades.
  - Demonstrated experience in implementing similar projects with successful outcomes.
3. **Supply and Transfer of Materials:**
  - Timely procurement and delivery of required materials as per project timelines.
  - Accuracy in quantity and quality of materials supplied.
  - Efficient logistics management to ensure seamless transfer of materials to project sites.

**ACTED Responsibilities:**

- Provide clear and detailed project requirements and objectives to the contractor.
- Ensure that all necessary permissions, permits, and approvals are obtained before the start of the project.
- Collaborate with the contractor in defining project timelines, milestones, and deliverables.
- Provide timely feedback and decisions on project-related matters to avoid delays.
- Ensure compliance with relevant regulations, standards, and safety protocols throughout the project.
- Address any issues or disputes that may arise during the project in a timely and constructive manner.
- Conduct regular site visits and inspections to monitor progress and quality of work.
- Maintain open communication with the contractor and project stakeholders to address any concerns or issues promptly.

**Timeframe:**

May 1st to July 25th 2024

The contractor must commit to commence the required work within 48 hours of the request.

**Pricing Model:**

Items	Price without installation	Price including the installation

**The potential vendors shall submit their price with and without installation of the items**

**Special aspects:**


**Değerlendirme kriterleri:**

Lütfen Ek 1'e bakın

**Bakım gereksinimleri:****1. Kritik Su ve Kanalizasyon Ağlarının Hafif Bakımı ve Bağlantıları:**

- Bakım görevlerini yerine getirirken güvenlik standartlarına ve düzenlemelere uygunluk.
- Su ve kanalizasyon ağlarıyla ilgili sorunları ele alırken zamanında ve verimli olma.
- Acil bakım taleplerine hızlı yanıt verebilme yeteneği.
- Ağların sorunsuz çalışmasını sağlama konusunda işçilik kalitesi ve etkililik.

**2. Kritik WASH Tesislerinin Hafif Bakımı ve Yükseltilmesi:**

- Bakım ve yükseltme faaliyetleri sırasında teknik özelliklere ve standartlara uyum.
- Bakım veya yükseltme sonrası WASH tesislerinin işlevselliğinin ve kullanılabilirliğinin artırılması.
- Tesis yükseltmeleri için maliyet etkin çözümler önerme konusunda yenilikçilik ve yaratıcılık.
- Benzer projelerin başarılı sonuçlar elde edilerek uygulanması konusunda deneyimin gösterilmesi.

**3. Malzeme Sağlanması ve Transferi:**

- Proje takvimlerine uygun olarak gerekli malzemelerin zamanında temin edilmesi ve teslim edilmesi.
- Sağlanan malzemelerin miktarı ve kalitesinde doğruluk.
- Malzemelerin projeye siteye sorunsuz transferini sağlamak için verimli lojistik yönetimi.

**ACTED Sorumlulukları:**

- Tedarikçiye net ve detaylı proje gereksinimleri ve hedefleri sağlamak.
- Projenin başlamasından önce gerekli tüm izinlerin, ruhsatların ve onayların alındığından emin olmak.
- Tedarikçiye proje takvimlerini, kilometre taşlarını ve teslimatları tanımlamak için işbirliği yapmak.
- Gecikmeleri önlemek için proje ile ilgili konularda zamanında geri bildirim ve kararlar sağlamak.
- Projede ilgili düzenlemelere, standartlara ve güvenlik protokollerine uyumu sağlamak.
- Proje sırasında ortaya çıkabilecek herhangi bir sorunu veya anlaşmazlığı zamanında ve yapıcı bir şekilde ele almak.
- İlerlemeyi ve iş kalitesini izlemek için düzenli site ziyaretleri ve denetimleri gerçekleştirmek.
- Müteahhitte ve proje paydaşlarıyla açık iletişimi sürdürmek ve herhangi bir endişe veya sorunu zamanında ele almak.

**Zaman Çerçevesi:**

1 Mayıs 2024 ile 25 Temmuz 2024 arasındaki süreç. Müteahhit, gerekli işe başlama taahhüdünü talepten sonraki 48 saat içinde başlatmalıdır.

**Fiyatlandırma Modeli:**

Ürünler	Montaj Hariç fiyat	Montaj Dahil fiyat

Potansiyel tedarikçiler, ürünlerin Montajlı ve Montajsız fiyatlarını sunacaklardır.

**Özel yönler:**

**RESPONSIBILITIES OF THE SUPPLIER:**

For an offer to be accepted by Acted it will need to contain the following documents, signed by the bidder.

1	<b>Instructions to Bidders (PRO-05)</b> signed & stamped by the Bidder (electronic signature and/or stamp is not accepted)
2	Original <b>Offer Form (PRO-06)</b> dated, filled, signed & stamped by the Bidder ( <i>detailed as per the requested currency</i> )
3	<b>Supplier Questionnaire (PRO-06.1)</b> dated, filled, signed & stamped by the Bidder
4	<b>ACTED Ethical Declaration (PRO-06.2)</b> dated, filled, signed & stamped by the Bidder
5	<b>ACTED Bidder's checklist (PRO-06.3)</b> signed & stamped by the Bidder
6	<b>Bidder's official registration documents</b>
7	<b>Bidder's legal representative national ID or passport</b>
8	<b>Technical datasheet, catalogues, and/or Pictures of items in the BoQ</b>
9	<b>Annex 2 – Technical Proposal</b>
10	<b>CVs of Personnel</b>
11	<b>Previous Contracts, records, experience certificates, or any other relevant proof</b>

**It is important to note that all documents must be filled, dated, signed & stamped by the Bidders in order to be considered as eligible. ACTED only accepts bids that have been filled in in either English or Turkish.**

**GENERAL CONDITIONS:**

- Information session will be organised as follows, you are invited to join, Acted will present the rules of the tender, the quality required and answer to your questions:
  - a. The session will be conducted on the **08/03/2024** at 11.30 Gaziantep time at Acted Office in Gaziantep  
**Address:** İncili Pınar Mah. 36009 Nolu Sok. No:3/C BB:8 YILDIZ CENTER IS MRK Şehitkamil / Gaziantep
- The **closing date** of this tender is **19/03/2024** at 13:00 Gaziantep/Turkiye time. The submission of the proposal is electronic; all Proposals shall be submitted as a soft copy via email with due consideration to the following:

- Email Address:

To: [turkey.tender@acted.org](mailto:turkey.tender@acted.org)



**TEDARİKÇİNİN SORUMLULUKLARI:**

Acted tarafından kabul edilmek için bir teklifin şu belgeleri içermesi gerekecektir, teklif sahibi tarafından imzalanmış olarak:

1	<b>Teklif Sahiplerine Yönelik Talimatlar (PRO-05)</b> , Teklif Sahibi tarafından imzalanmış ve mühürlenmiş olmalıdır (elektronik imza ve/veya mühür kabul edilmez).
2	<b>Orjinal Teklif Formu (PRO-06)</b> , tarihli, doldurulmuş, imzalanmış ve tedarikçi tarafından mühürlenmiş olmalıdır (talep edilen para birimi olarak ayrıntılı).
3	<b>Tedarikçi Anketi (PRO-06.1)</b> , tarihli, doldurulmuş, imzalanmış ve tedarikçi tarafından mühürlenmiş olmalıdır.
4	<b>ACTED Etik Beyanı (PRO-06.2)</b> , tarihli, doldurulmuş, imzalanmış ve tedarikçi tarafından mühürlenmiş olmalıdır.
5	<b>ACTED Teklif Sahibinin Kontrol Listesi (PRO-06.3)</b> , tedarikçi tarafından imzalanmış ve mühürlenmiş olmalıdır.
6	<b>Teklif Sahibinin resmi kayıt belgeleri</b>
7	<b>Teklif Sahibinin yasal temsilcisinin ulusal kimlik kartı veya pasaportu</b>
8	<b>Fiyat Teklifi Listesindeki öğelerin Teknik veri tablosu, katalogları ve/veya resimleri</b>
9	<b>Ek 2 - Teknik Teklif</b>
10	<b>Personelin CV'leri</b>
11	<b>Önceki Sözleşmeler, kayıtlar, deneyim belgeleri veya diğer ilgili kanıtlar</b>

**Önemli bir not olarak belirtmek gerekir ki, tüm belgelerin, Teklif Sahipleri tarafından doldurulmuş, tarihli, imzalanmış ve mühürlenmiş olması gerekmektedir ki bunlar uygun olarak kabul edilsin. ACTED, yalnızca İngilizce veya Türkçe olarak doldurulmuş teklifleri kabul eder.**

**GENEL ŞARTLAR:**

- Bilgilendirme toplantısı aşağıdaki gibi düzenlenecektir, katılmanız için davetlisiniz. ACTED, ihale kurallarını, gereken kaliteyi sunacak ve sorularınıza cevap verecektir:
  - Toplantı, **08/03/2024** tarihinde Gaziantep saatiyle 11.30'da Gaziantep'teki ACTED Ofisi'nde gerçekleştirilecektir.  
**Adres:** İncili Pınar Mah. 36009 Nolu Sok. No:3/C BB:8 YILDIZ CENTER IS MRK Şehitkamil / Gaziantep
- Bu ihaleye ilişkin **kapanış tarihi 19/03/2024** saat 13:00'tür. (Gaziantep/Türkiye saati). Tekliflerin gönderimi elektrondir; tüm teklifler e-posta yoluyla bir elektronik kopya olarak gönderilmelidir ve aşağıdaki hususlar göz önünde bulundurulmalıdır:

- Mail Adresi:

To: [turkey.tender@acted.org](mailto:turkey.tender@acted.org)





The size of one Email (including all attachments) shall not exceed 10 MB. - The reference number of the Tender ([T/17FUM/ETT/LMN/LMU/HAT-ADY/Program/05-03-2024/1](#)) shall be the Subject of the email.

Bidders can use PDF/RAR files or send several emails.

Offers will not be accepted via Google Drive, DropBox, WeTransfer links or any similar links.

- Late offers may not be considered.
- To ensure that funds are used exclusively for humanitarian purposes and in accordance with donors' compliance requirements, all offers are subject to the condition that contractors do not appear on **anti-terrorism lists**, in line with ACTED's anti-terrorism policy. To this end, ACTED reserves the right to carry out anti-terrorism checks on any contractor, its board members, staff, volunteers, consultants, financial service providers and sub-contractors.
- Collusive practices are prohibited and will lead to offers rejection.
- **The organization adopts zero tolerance towards corruption and is committed to respecting the highest standards in terms of efficiency, responsibility, and transparency in its activities. In particular, the organization adopted a participatory approach to promoting and ensuring transparency within the organization and established a transparency focal point (the Transparency Team under the supervision of the Director of Audit and Transparency) via a specific email address. As such, if you witness or suspect illegal, inappropriate or unethical business practices (such as soliciting, accepting or attempting to offer or accept any bribes) during the tender process, please contact our independent dedicated team via the platform <https://transparency.acted.org> or send an email to [transparency@acted.org](mailto:transparency@acted.org)**

#### SPECIAL CONDITIONS:

- Bids award criteria will be assessed through a:

##### **Pass/fail method**

The cheapest supplier that passes the technical evaluation will be awarded a Framework agreement. **Samples of the supplied materials** might be request for technical evaluation purposes, in case they are it will be at the cost of supplier. Also Acted reserves the right to **visit supplier premises**. Refer to the Selection criteria table for more information.

- Acted reserves the right to contract one or more suppliers. HOWEVER, **Acted will favour a supplier that answer to all the lots in contract selection**
- In case of providing multiple options for one item, ACTED reserves the right to either select any one of the options or not consider the line item at all.
- ACTED reserves the right to engage on **Post-Tendering Price negotiation** with the bidders in form of submission of Counteroffer or direct price negotiation.
- Sending their offers to the present call for tender, **Bidders acknowledge their agreement with these terms & conditions.**
- ACTED will accept **one final offer** from each bidder that participates in the Tender. If a bidder wishes to submit an updated Proposal, after submitting their first offer but before the closing date, this should be clearly marked in the Email and Financial Offer.
- Each **Bid shall include a unique company name, representative and signature, phone number, and email address**. Any similarities between Proposals could result in the bid being rejected.
- The tender is divided into lots, the Bidder may bid for one or all Lots. Each lot may be subject to a separate contract and the quantities indicated for the different lots cannot be divided. Bids for part of a lot only will not be considered. **However, when bidders apply to one lot, they need to quote for all the items listed.**





- **Company Stamps should be unique** and should include the company name. All information contained in the stamp should be unique to the company submitting the offer. Bidders who use multi stamps will not be considered.
- **Electronic stamp and signatures are not accepted** but the tender submission is electronic.
- The offer will **not be considered eligible if white ink is used**, or price corrections are done by hand.
- This tender will lead to the signature of a framework agreement valid until **31/12/2024** and could be extended

Bir E-postanın boyutu (tüm ekler dahil) 10 MB'ı geçmemelidir.

İhale referans numarası ([T/17FUM/ETT/LMN/LMU/HAT-ADY/Program/05-03-2024/1](#)), e-postanın Konusu olmalıdır.

Teklif sahipleri PDF/RAR dosyalarını kullanabilir veya birden fazla e-posta gönderebilirler.

Teklifler Google Drive, Dropbox, WeTransfer bağlantıları veya benzeri bağlantılar aracılığıyla kabul edilmeyecektir.

- Geciken teklifler dikkate alınmayabilir.
- Fonların sadece insani amaçlar için kullanılmasını ve bağışçıların uyum gereksinimlerine uygun olarak, tüm teklifler, müteahhitlerin ACTED'in terörle mücadele politikası çerçevesinde terörle mücadele listelerinde yer almamaları koşuluyla, anti-terör listelerinde yer almadığı şartına tabidir. Bu amaçla, ACTED, herhangi bir müteahhidin, yönetim kurulu üyelerinin, personelinin, gönüllülerin, danışmanların, finansal hizmet sağlayıcılarının ve alt yüklenicilerinin terörle mücadele kontrollerini yapma hakkını saklı tutar.
- İşbirliği yapma uygulamaları yasaktır ve tekliflerin reddedilmesine neden olacaktır.
- **Kuruluş, faaliyetlerinde verimlilik, sorumluluk ve şeffaflık açısından en yüksek standartlara saygı göstermeye ve bu standartları benimsemeye yönelik olarak, terörle mücadele konusunda sıfır tolerans politikası benimsemiştir. Özellikle, kuruluş, kuruluş içinde şeffaflığı teşvik etmek ve sağlamak için katılımcı bir yaklaşım benimsemiş ve şeffaflığı sağlamak için (Denetim ve Şeffaflık Direktörü'nün denetimi altında) bir şeffaflık odak noktası (şeffaflık ekibi) oluşturmuştur. Bu nedenle, ihale süreci sırasında yasa dışı, uygun olmayan veya etik olmayan iş uygulamalarını (rüşvet talep etmek, kabul etmek veya teklif etmeye çalışmak veya kabul etmek) tanık veya şüphelenirseniz, bağımsız özel ekibimize şu adresten veya [transparency@acted.org](mailto:transparency@acted.org) adresine e-posta göndererek bildirebilirsiniz. <https://transparency.acted.org>.**

## ÖZEL ŞARTLAR:

Teklif ödül kriterleri:

**Başarılı/Başarısız yöntemiyle değerlendirilecektir.**

Teknik değerlendirmeyi geçen en ucuz tedarikçiye Çerçeve Anlaşması verilecektir. Örnek olarak sağlanan malzemelerin teknik değerlendirme amaçları için talep edilmesi durumunda, maliyet tedarikçiye ait olacaktır. Ayrıca ACTED, tedarikçi tesislerini ziyaret etme hakkını saklı tutar. Daha fazla bilgi için Seçim kriterleri tablosuna bakınız..

- ACTED, bir veya daha fazla tedarikçiyle anlaşma yapma hakkını saklı tutar. ANCAK, **ACTED, tüm lotlara yanıt veren bir tedarikçiyi tercih edecektir.**
- Bir öge için birden fazla seçenek sunulması durumunda, ACTED, seçeneklerden herhangi birini seçme veya satır ögesini hiç dikkate almama hakkını saklı tutar.
- ACTED, teklif verenlerle **Post-Tendering Fiyat müzakeresine** Girişmek için karşı teklif veya doğrudan fiyat müzakeresi sunma hakkını saklı tutar. Sending their offers to the present call for tender, **Bidders acknowledge their agreement with these terms & conditions.**
- Tekliflerini mevcut ihaleye gönderen Teklif Sahipleri, bu şartlar ve koşullarla anlaşmış sayılırlar.





- ACTED, İhaleye Katılan Her Teklif Sahibinden Tek bir nihai teklif kabul edecektir. Bir teklif sahibi, ilk teklifini sunduktan sonra ancak kapanış tarihinden önce güncellenmiş bir teklif sunmak isterse, bu durum e-posta ve Finansal Teklifte açıkça belirtilmelidir.
- Her Teklif, benzersiz bir **şirket adı, temsilci ve imza, telefon numarası ve e-posta adresi içermelidir**. Teklifler arasında herhangi bir benzerlik, teklifin reddedilmesine neden olabilir.
- İhale, lotlara bölünmüştür, Teklif Sahibi bir veya tüm Lotlar için teklif verebilir. Her lot ayrı bir sözleşme konusu olabilir ve farklı lotlar için belirtilen miktarlar bölünemez. Sadece bir lotun bir kısmı için teklifler dikkate alınmayacaktır. **Ancak, teklif sahipleri bir lota başvurduklarında, listelenen tüm kalemler için fiyat teklif etmelidir.**
- **Şirket Kaşeleri benzersiz olmalı ve şirket adını içermelidir.** Damga içindeki tüm bilgiler, teklifini sunan şirkete özgü olmalıdır. Birden çok damga kullanan teklif sahipleri dikkate alınmayacaktır.
- Elektronik damga ve imzalar kabul edilmez ancak ihale gönderimi elektrondur.
- Teklif, beyaz mürekkep kullanılmışsa veya fiyat düzeltmeleri el ile yapılmışsa uygun kabul edilmeyecektir.
- Bu ihale, 31/12/2024 tarihine kadar geçerli olacak bir çerçeve anlaşmasının imzalanmasına yol açacaktır ve uzatılabilir.

Company Name: \_\_\_\_\_

Authorized Representative Name: \_\_\_\_\_

Signature: \_\_\_\_\_

Stamp: \_\_\_\_\_

## Annex 1 – Selection & Evaluation Criteria

**Tender Reference:** T/17FUM/ETT/LMN/LMU/HAT-ADY/Program/05-03-2024/1

### Evaluation Criteria:

This part tends to clarify Acted selection methodology by showing the different criteria of selection.

The tender evaluation will follow the “Pass/Fail”

All technical offers will be sent along to the technical referent and will be evaluated.

If the supplier passes the exclusion & selection criteria, it will be considered as “Pass”.

Then lowest price who pass the technical awarding criteria will be awarded the contract.

Criteria	Supporting Documents	Evaluation Method
<b>Exclusion Criteria</b>		
BEST MEMO Documents	<ul style="list-style-type: none"><li>- Signed Pro-03.2 Supplier Questionnaire_V2.0_Final.</li><li>- Signed Pro-06.2 Supplier Ethical Declaration_2.0_V.Ar</li></ul>	It is optional for the bidders to submit the documents at tendering stage; however, it will be mandatory for the awarded bidder to submit





Criteria	Supporting Documents	Evaluation Method
	<ul style="list-style-type: none"> <li>- Bidder's Legal Representative National ID Or Passport</li> <li>- Business registration certificate</li> </ul>	them before Contracting (except for the National ID or Passport).
<b>Awarding Criteria</b>		
<b>Technical Awarding Criteria</b>		
Meeting Acted minimum requirements for service provider Experience and Business Record as described in the Annex 2 – Technical Proposal. <i>Minimum requirements: 3 years of experience or 3 previous similar projects</i>	- Technical Proposal – Annex 2	Pass/Fail
Meeting Acted minimum requirements for delivery time and response time for requests. <i>Minimum requirements: Maximum 48 hours from Acted inquiry</i>	- Technical Proposal – Annex 2	Pass/Fail
Meeting Acted minimum requirements for service provider capacity as described in the Annex 2 – Technical Proposal.	<ul style="list-style-type: none"> <li>- Technical Proposal – Annex 2</li> <li>- CVs of personnel</li> </ul>	Pass/Fail
Adherence to Acted minimum requirements for materials qualifications and requirements as described in the Annex 2 – Technical Proposal, BoQ section.	- Technical Proposal – Annex 2 and/or technical sheets/catalogues	Pass/Fail <i>Bidder needs to pass on all items or will be considered fail for the given lot.</i>
<b>Financial Awarding Criteria</b>		
Financial offer	PRO-06 – ACTED's Financial Offer	Lowest price

Company Name: \_\_\_\_\_

Authorized Representative Name: \_\_\_\_\_





**ACTED**

LOGISTICS  
PRO-05  
Version 01/2022

Signature:

---

Stamp:

---



**Annexe 2: TECHNICAL PROPOSAL ACTED *TURKIYE***

RFQ N° (filled in by ACTED): T/17FUM/ETT/LMN/LMU/HAT-ADY/Program/05-03-2024/1

Date (filled in by Bidders):

Company name:	
Company Representative*:	
Address:	
Phone:	
Email:	

**\*Please include a copy of the representative's ID**

1. Does the company meet Acted minimum requirements for service provider Experience and Business Record 3 years of experience or 3 previous similar projects?  Yes  No

(Please provide us with previous Contracts, records, experience certificates, or any other relevant proof)

*The Bidders shall submit a summary of previous implemented project, therefore, please list in below table the contracts awarded to your company (please provide separate list and documentation).*

Project Name	Status or Date completed	Project Duration	Types of undertaken activities	Contract Value (USD)	Client	References Contact Details (Name, phone, email) <u>at least provide phone number</u>





2. Does the company possess the capacity to meet Acted minimum requirements for delivery time and response time for requests, within 48 hours?  Yes  No

(Please provide a timeline for delivery)

3. Does the company meet the Acted minimum requirements for service provider capacity as described in the below table.  Yes  No

(Please provide us with CV of the proposed personnel, etc.)

Category	Acted minimum Human resources Requirements	Vendor Response	Acted minimum Tools/Equipment requirements	Vendor Response
<b>Plumbing</b>	2 plumbers for each area (4 in total) with minimum 5 years of experience	<input type="checkbox"/> Yes <input type="checkbox"/> No	Plumbing tools Welding Machine for HDPE pipes	<input type="checkbox"/> Yes <input type="checkbox"/> No
<b>Electricity</b>	1 electrician per area (2 in total) with minimum 5 years of experience	<input type="checkbox"/> Yes <input type="checkbox"/> No	Electricity tools	<input type="checkbox"/> Yes <input type="checkbox"/> No
<b>Construction Work</b>	1 Mason, 1 Plaster, 1 Tiler, 1 aluminium specialist, 1 wood specialist, per area. (10 in total) with minimum 5 years of experience	<input type="checkbox"/> Yes <input type="checkbox"/> No	Construction tools, and JCB, Welding Machine, Angel grinder, Jack hammer, Asphalt cutter, Concrete mixer, Hilti, Generator, Compactor.	<input type="checkbox"/> Yes <input type="checkbox"/> No

4. Does the company adhere to Acted minimum requirements for materials qualifications and requirements as described in the BoQ? (Please fill out the following table)  Yes  No

(Please provide technical sheets/catalogues/pictures)

---



BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
<b>lot 1: Latrine&amp;shower Exoskeleton</b>			
1.1	PVC Door	Providing a door made entirely of high-quality Right-hand white PVC, that can be locked from the inside and installed via four hinges. thickness: 42 mm.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
1.2	PVC door Internal lock	Providing a PVC internal lock made of solid cast zinc structure, with a durable powder-coated surface, wear-resistant, smooth white surface, and can be used for a long time.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
1.3	PVC door handle	Providing PVC Plastic Door Handle length: 22cm width: 3 The product is made of sheet materials covered with plastic coating. the product is compatible with all door models. the product is fixed with the help of screws.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
1.4	Door hinge	Providing Metal Door hinge with a support sheet. Interior: Sheet Metal. Exterior: Solid metal material. Length: 100mm. Material: galvanized steel The number of screws is 7 for every piece The screws are distributed on the panel body as shown in the attached picture to HH column.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory







BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
1.5	Door lock	<p>Providing PVC Door Lock 35 mm should has TS EN 12209 certificate. 1st class nickel door lock It is guaranteed for a minimum of 2 years.</p> <p>Body: Steel Galvanized coated Mirror and Striker: Steel, Brass coated Slide: Zamak Casting. Brass coated. Single turn Latch: Zamak cast. Brass plated The door thickness is 4,2 cm. and the look should be a single spindle, please have a look at the photo I added to the HH column</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Differences (if no):</p> <p>(Contractor fills in details) pictures or catalogue is Mandatory</p>
1.6	WC&banyo Grill (ventilation vent)	<p>Providing a plastic white grill of size 30×30 made from ABS material. The measurements are external dimensions.</p> <p>The standard adjustable handle is on the right side, and should not affected by heat and moisture.</p> <p>It prevents insects and pests from entering.</p> <p>The airflow can be adjusted to the desired size thanks to the adjustable handle.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Differences (if no):</p> <p>(Contractor fills in details) pictures or catalogue is Mandatory</p>
1.7	Sandwich Panel	<p>Providing Sandwich Panel 40mm Outer Face - Inner Face Painted Galvanized Sheet Sheet Thickness min 0.40 mm Density min 14 kg/m<sup>3</sup> Thermal Conductivity Coefficient (according to TS EN 14509) Made of fireproof material The accepted colour for the sandwich panel is the default colour white or its shades, the panel dimensions are not standards so the price will be calculated according to the m<sup>2</sup> price.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Differences (if no):</p> <p>(Contractor fills in details) pictures or catalogue is Mandatory</p>



BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
1.8	Wooden Windows	Providing Wooden Window with TSE Standards. All as per instructions of supervisor engineer.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
1.9	PVC Windows	Providing PVC windows with TSE compliance certificate (A Class). All as per instructions of supervisor engineer. The price should cover all costs for the item	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
1.10	Aluminium Windows	Providing Aluminium with TSE Standards. All as per instructions of supervisor engineer. The price should cover all costs for the item.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
1.11	Metal Profile	Providing galvanized steel 40*40 mm square profile Gray colour or his shades, 1.8mm thick, with two layers (base + paint layer of good quality) for the columns and beams, the work includes all the cutting and welding issues.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
1.12	Sheet Metal 0.5 mm	Providing of metal sheet panels with a thickness of 0.5 mm. Panels will be white or galvanized according to the instructions of the responsible engineer.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
			(Contractor fills in details) pictures or catalogue is Mandatory
1.13	Sheet Metal 2 mm	Providing of metal sheet panels with a thickness of 2 mm. Panels will be white or galvanized according to the instructions of the responsible engineer.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no): (Contractor fills in details) pictures or catalogue is Mandatory
1.14	Metal Ladder	metal ladder with two steps. Each step will be 15 centimetres high. The ladder will be made of 4x6 mm profile with a wall thickness of 2 millimetres. The steps will be made of at least 2 millimetres of sheet metal. material: Galvanized aluminium	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no): (Contractor fills in details) pictures or catalogue is Mandatory
1.15	U Metal sheet	Providing a u-section of metal sheet, a thickness of 1.2 mm, with dimensions of 40 * 42 * 40 mm under and around the walls of the sandwich panels	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no): (Contractor fills in details) pictures or catalogue is Mandatory
<b>LOT 2: Interior accessories</b>			



BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
2.1	Soap Dispenser	Liquid Soap Dispenser 500 ML. Material: Plastic Colour: Transparent- White • oval insole design allows liquid soap to be used to the fullest. • Can be mounted on the wall. • With its transparent chamber, the consumption of liquid soap can be detected effortlessly. • Provides long-lasting use with its pump suitable for frequent use.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.2	Mirror	Providing bathroom mirror Dimensions: min 30*40 cm, max 35*51 cm	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.3	WC paper holder	Providing Toilet paper holder The product is made of metal material. It is chrome plated on metal. The product is mounted with screw dowel.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.4	Water tap	Providing water tap made of steel 1st QUALITY A++ Can open and closed easily by elders and children. Long-term durability is TSE certified.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.5	Lavatory Basin 60*50 cm	Providing (TSE Standards - 1st quality) White ceramic one, size (60*50 )cm, with holder, lavatory drainage pipes and it will be completed with all fittings and valves.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
			(Contractor fills in details) pictures or catalogue is Mandatory
2.6	Lavatory Basin 60*40 cm	Providing (TSE Standards - 1st quality) White ceramic one, size (60*40 )cm, with holder, lavatory drainage pipes and it will be completed with all fittings and valves.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.7	Lavatory Drainage Pipes	Providing, and testing a standard lavatory style pipe for the lavatory following specifications. The function of this pipe is to transfer used water from the lavatory to the drain pipes - This type of pipe is length-controlled to suit the distance, starting from 30 cm up to 75 cm. - The standard range is 4 cm.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
2.8	Electrical Water Heater	<p>Providing of electric water heater (TSE Standards - 1st quality) with min capacity of 50 lt , the price includes all necessary valves (water connection), electrical connections cables with breakers, protection against pressure increases with check valve safety valve and safety thermostat user manual for electrical water heater (the document needs to be used as sticker on suitable area (the document must be protected from water, the document will be send by us, and all another needed works (copies, sticking etc.)will be done by subcontractor ) Heating element material should be stainless steel and all other fittings as per specifications. Controlling of electrical instalment is responsibility of contractor. Contractor is responsible for all safety problems about electrical instalment. Inside distribution box, checking the availability of residual current circuit breaker (RCCB), availability and condition of earthing, distribution box's general condition and conformity of safety should be guaranteed by contractor. Diameter of cables should be proper for electrical installation of heater not to cause electrical fire risk.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Differences (if no):</p> <p>(Contractor fills in details) pictures or catalogue is Mandatory</p>
2.9	Lavatory Mixer and head for shower-bath	<p>Providing mixer + Shower Head with stainless steel shower hose, wire wound explosion proof thickened PVC inner hose, 150cm A QUALITY It is easy to maintain and clean with its self-cleaning silicone nozzle. It does not cause limescale or rust. 150 Cm long, extremely durable strong PVC material, brass chrome plated connectors, and an inner tube made of non-toxic material. The accessory structure has an anti-winding function.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Differences (if no):</p> <p>(Contractor fills in details) pictures or catalogue is Mandatory</p>



BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
2.10	Flush-Tank	Providing 8Lt Flush Tank with all accessories, TSE standards 1st quality.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.11	Toilet Seat Cover	Providing Toilet seat cover white colour for western type	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.12	Automatic Fuse	Providing 32 A Electrical Water Heater Conditioned	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.13	Bulb	E27, 8 Watt White Light LED Bulb	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.14	caged luminaire	Oval Caged Luminaire Protection Class: IP54 It has 1 E27 socket (bulb not included). It has ISO 9001:2015 quality standards and certification. It has CE Certificate (complies with European standards).	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
			(Contractor fills in details) pictures or catalogue is Mandatory
2.15	Electrical Switch	Providing, and dismantling of old with one-way and high-quality electrical switches 230/400V, 50/60 Hz.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.16	water mixer for hot and cold water	Water mixer for hot and cold water made up of chrome for hot and cold water. Spout length is 168 mm Upper tool connection is 1/2" Locking diverter the distance between water entrances is 150 mm	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.17	flush toilet	Providing Ceramic Flush Toilet Set Quality: First Quality Colour: White Toilet Seat: Included, PP Normal Close Inner Set Feature: Single Push Button Warranty Period: min 3 years, 2 years for covers and inner sets.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.18	Toilet Siphon Inside Kit	Providing Toilet Siphon Inside Kit Bottom water inlet. With filter. Compatible with all ceramic cisterns. Adjustable water level. Fast water filling. Mechanical system with sudden shut-off. Complete sealing.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory







BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
2.19	Flexible pipe for toilet - waste water installation connection	Providing WC - with flexible pipe for wastewater installation connection high quality plastic Colour: White length 50cm Diameter 10cm	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.20	Sink 60 cm	white Sink 60 Cm Made of ceramic material, it can be easily removed from dirt and lime stains. can be mounted on the wall. (mounting hardware included) With water overflow hole	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.21	Sink 28*37 cm	Providing Toilet Sink with high quality 28X37 cm sink Colour: White, Made of ceramic material, it can be easily removed from dirt and lime stains. can be mounted on the wall. (mounting hardware included) Armature With Hole	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.22	Sink Strainer and Siphon	Providing of siphon with nut strainer diameter 110 mm materials: stainless steel 40mm brass screw	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
2.23	Stainless disabled grab bar	Providing of 304 quality stainless materials. Length:60 cm It has the feature of opening and closing. It is used as a wall mounted.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):



BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
			(Contractor fills in details) pictures or catalogue is Mandatory
2.24	Steel bathroom tub handle	Providing of 304 quality stainless materials. 60 cm Steel Bathroom Tub Handle	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
LOT 3: Connections			
3.1	Water Pump	(TSE Standards - 1st quality) Providing of Water Pump (electrical water dynamo), the pump must be installed in an enclosed environment and protected from harsh weather conditions (extreme heat and extreme cold). Its technical specification must be in accordance with performance ranges: for example; the water must be pumped at least up to 30 meters. The price includes all necessary pipes connections, electrical connections cables with breakers and all other fittings as per specifications. Features: Motor Power: 0.5 HP Automatic Operation: Auto-starts when the faucet is opened, stops when closed Inlet/Outlet Diameter: 1 inch Performance Range: Up to 50 Liters per minute (3 m <sup>3</sup> /hour) Maximum Pumping Height: 30 meter Maximum Suction Distance: 6 meters Ideal Suction Distance: 5-6 meters Maximum Operating Pressure: 3 Bar	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
3.2	Water Pipe	Providing and testing a clean water pipe - Material : PPRC - Diameter : 20 mm - Standard Length: 4, 6 and 12 meters. - Pressure Category: PN16 (min)	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.3	Water Pipe	Providing clean water pipe U-PVC (32mm), or galvanized pipes. The price should be included within the whole items that are going to be used. - Standard Length: 4, 6 and 12 meters. - Pressure Category: PN16 (min)	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.4	Water Pipe	Providing clean water pipe HDPE (20mm), or galvanized pipes. The price should be included within the whole items that are going to be used. - Standard Length: 4, 6 and 12 meters. - Pressure Category: PN16 (min)	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.5	Water Pipe	Providing clean water pipe tube coil "kangal" (32mm), or galvanized pipes. The price should be included within the whole items that are going to be used. - Standard Length: 4, 6 and 12 meters. - Pressure Category: PN16 (min)	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
3.6	T-Pipe	Providing Water based pipe which will be connected to the needed pipes type. The price should be included within whole items are going to be used. Material: PPRC Diameter: 20 mm	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.7	T-Pipe	Providing U-PVC T Water pipe (32 mm) which will be connected to the needed pipe type. The price should be included within the whole items that are going to be used.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.8	T-Pipe	Providing T tube coil "kangal" Water pipe (20 mm) which will be connected to the needed pipe type. The price should be included within the whole items that are going to be used.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.9	T-Pipe	Providing one T tube coil "kangal" Water pipe (32 mm) which will be connected to the needed pipe type. The price should be included within the whole items that are going to be used.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.10	Open elbow 4"	Providing high quality PVC open elbow 100 mm	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):



BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
			(Contractor fills in details) pictures or catalogue is Mandatory
3.11	Open elbow 2"	Providing high quality PVC open elbow 50 mm	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no): (Contractor fills in details) pictures or catalogue is Mandatory
3.12	Elbow 4"	Providing high quality PVC elbow 100 mm	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no): (Contractor fills in details) pictures or catalogue is Mandatory
3.13	Elbow 2"	Providing high quality PVC elbow 50 mm	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no): (Contractor fills in details) pictures or catalogue is Mandatory
3.14	S siphon 4"	Providing high quality PVC S siphon 100 mm	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no): (Contractor fills in details) pictures or catalogue is Mandatory
3.15	PVC Single Fork	Providing high quality PVC Single Fork 100/50	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
			(Contractor fills in details) pictures or catalogue is Mandatory
3.16	PVC Single Fork	Providing high quality PVC Single Fork 100/100	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.17	Pvc 100/100 T	Providing high quality Pvc 100/100 T	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
3.18	100 mm PVC pipe	<p>Providing pipes, including excavation and backfilling with the necessary levelling.</p> <p>it is manufactured with high-quality pvc material and has a durable structure.</p> <p>its double-wall structure enhances the strength of the pipe and provides excellent durability.</p> <p>3.20 mm thickness.</p> <p>it belongs to the class of difficult-to-ignite building materials defined as b1 in din 4102 standards and national fire regulation.</p> <p>dublex pvc waste water fittings; with its "o-ring" gasket and perfectly compatible gasket socket, they are absolutely leak-proof.</p> <p>pvc dublex pipe and fittings have smooth inner and outer surfaces, preventing sediment and accumulation in your waste water plumbing, eliminating bacteria, odor, blockage, and loss of flow performance, ensuring smooth and fast flow.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Differences (if no):</p> <p>(Contractor fills in details) pictures or catalogue is Mandatory</p>
3.19	Excavation and Backfilling for PVC Pipe Installation	<p>Trench excavation for 100 mm PVC pipe laying, including removal and disposal of existing materials.</p> <p>Backfilling with sand then gravel to ensure pipe stability and alignment.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Differences (if no):</p> <p>(Contractor fills in details) pictures or catalogue is Mandatory</p>
3.20	PVC Pipe Waste Water Closing Head 4"	<p>Providing high quality PVC Pipe Waste Water Closing Head</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Differences (if no):</p> <p>(Contractor fills in details) pictures or catalogue is Mandatory</p>





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
3.21	PVC Waste Water Pipe Single Fork 100/100	Providing high quality PVC Waste Water Pipe Single Fork 100/100	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.22	Steel Braided Hose for toilet seat	Providing 50 or 70 cm steel braided hose for toilet seat that has a bendable and pliable structure. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. It is extremely healthy for connections in main water lines thanks to its stainless structure and anti-corrosive properties.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.23	Steel Braided Hose for toilet seat	Providing 30 cm steel braided hose for a toilet seat that has a bendable and pliable structure. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. healthy for connections in main water lines. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field. Stainless structure and anti-corrosive properties.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory







BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
3.24	Steel Braided Hose for toilet seat	Providing 40 cm steel braided hose for a toilet seat that has a bendable and pliable structure. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. healthy for connections in main water lines. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field. Stainless structure and anti-corrosive properties.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.25	Steel Braided Hose for toilet seat	Providing 60 cm steel braided hose for a toilet seat that has a bendable and pliable structure. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. healthy for connections in main water lines. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field. Stainless structure and anti-corrosive properties.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.26	Steel Braided Hose for toilet seat	Providing 70 cm steel braided hose for a toilet seat that has a bendable and pliable structure. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. healthy for connections in main water lines. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field. Stainless structure and anti-corrosive properties.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.27	Bidet Faucet Head	Providing 1st Quality Bidet Faucet -- plastic White Handle -- • Hose connection outlet size 3/8• Tap Wall connection thread 1/2”•	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
			(Contractor fills in details) pictures or catalogue is Mandatory
3.28	Coupling TE	Providing high quality COUPLING TE 0.5 inch / PN20	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.29	Coupling TE	Providing high quality COUPLING TE Ø32 / pn16	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.30	Coupling Sleeve	Providing high quality COUPLING SLEEVE Ø32/16 ATÜ	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.31	Coupling Sleeve	Providing high quality COUPLING SLEEVE 0.5 inch pn20	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
3.32	Elbow Adapter	Providing high quality TAIL ELBOW 0.5"	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.33	Cast Nipple	Providing high quality CAST NIPPLE 0.5"	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.34	Adaptor Coupling	Providing high quality KAPLİN ADAPTÖR İÇ DİŞLİ Ø32X1"/ 16 ATÜ	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.35	Adaptor Coupling	Providing high quality KAPLİN ADAPTÖR DIŞ DİŞLİ Ø32X1"/ 16 ATÜ	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
3.36	water check valve	Providing high quality 1/2-inch water check valve that allows water to flow in one direction only and prevents backflow, which can occur when water pressure drops and causes water to flow in the opposite direction.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
			(Contractor fills in details) pictures or catalogue is Mandatory
3.37	direct water heater	Instantaneous water heater Operating Voltage 230 V AC Frequency 50 / 60 Hz Power 7 kW Min. Working Pressure 25 kPa (2.5 mSS) Max. Working Pressure 600 kPa (61 mSS) Flow Rate 4 L/min Dimensions (Box) 330 mm x 210 mm x 110 mm Net Weight 2 kg Protection Against Humidity IPX4 Easy to install and practical to use. It can be used wherever hot water is needed. There is no need for a water tank.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
LOT 4: Other Works			
4.1	C15 concrete	Supply and pour C15 or higher concrete, along with compaction and leveling. The work includes the use of the necessary molds, whether plywood or metal.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
4.2	Gravelling	Providing and implementation of gravelling works with an average thickness of 15 cm, with a suitable grain gradient, so that the percentage of fine grain does not exceed 20%, using needed mechanisms with hydration and compacting using metal rocking rollers, where the rolled layer does not exceed 15 cm with all that is necessary, according to the recommendations of the supervisors and engineers.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
4.3	Plumbing works	Plumbing work: Comprises minor tasks that are straightforward and not listed elsewhere	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
			(Contractor fills in details) pictures or catalogue is Mandatory
4.4	electrical works	Electrical work: Comprises minor tasks that are straightforward and not listed elsewhere.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
4.5	Tiling	Providing non-slipping white ceramic FLOOR tiles size 20×20×0.8 cm for (Local class A) PwD latrines. The price should include adhesive-appropriate material with the necessary thickness. All required finishing including grouting, cleaning, and other necessary works. All works will be according to the instructions of the Engineer.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
4.6	Water Tank	500 liter polyethylene horizontal tank. The thickness of the tank body is 5 mm. The diameter of the water inlet is 1/2 inch. The diameter of the water outlet is 1/2 inch. Approximate lid diameter is 32cm allowing for easy cleaning. Operating temperature -5°C +50°C. Approximate weight 19 kg. Made of high quality materials. It must have UV stabilization property. It has nutritional suitability accepted by international food organizations. Treat to prevent algae formation indoors. It is under warranty for two years. The cost should include installation.	<input type="checkbox"/> Yes <input type="checkbox"/> No Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory





BoQ- Quality Assurance			
No	Item	Minimum Spec Requested	Technical Specifications Provided - must be filled by the bidder. Please indicate the differences in case you select "No"
4.7	Excavation and backfilling	The work includes all the necessary excavation work to connect the units to the sewage network and the water network, taking into account appropriate digging tendencies and safety standards, then backfilling and cleaning the surroundings. The contractor must provide all the necessary tools for manual digging or heavy machinery according to site conditions and the decisions of the supervising engineer	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
4.8	Rental Crane	Medium Series Hydraulic Cranes Hydraulic cranes with a load lifting capacity of 8-15 tons.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory
4.9	Rental JCB	Suitable size for easy transportation between work sites It has a powerful motor that provides torque suitable for drilling in normal (non-rocky) soil. Ability to reach a suitable depth for installing sewer pipes. It has a built-in backfill system to refill trenches after installing pipes. Sufficient lighting for working in various weather conditions. Meets safety standards. The party carrying out the drilling must adhere to the instructions of the ACTED engineer and is considered responsible for any sabotage that may occur in the infrastructure or public and private property.	<input type="checkbox"/> Yes <input type="checkbox"/> No  Differences (if no):  (Contractor fills in details) pictures or catalogue is Mandatory

Company Name: \_\_\_\_\_

Authorized Representative Name: \_\_\_\_\_





**ACTED**

LOGISTICS  
PRO-05  
Version 01/2022

Signature:

---

Stamp:

---



**OFFER FORM ACTED *TURKIYE – Lot 1***

RFQ N° (filled in by ACTED): T/17FUM/ETT/LMN-LMU/HAT-ADY/Program/05-03-2024/1

Date (filled in by Bidders):

**To be Filled by Bidder (COMPULSORY)**


<b>Company's Name</b> (as per registration documents)	
<b>Company Authorized Representative's Name</b> (as per registration documents or duly signed Power of Attorney)	
<b>Company Registration Number</b> <b>Registration body</b>	
<b>Company's mailing address</b> Shop/Office/Building No Street name City Governorate/province/district Country	
<b>Commercial representative for the bid</b> (if different from authorized representative)	
<b>Phone contact number</b> Landline Mobile No	
<b>Email address</b>	

The prices indicated below must be in USD and include KDV. Any offer in TRY will not be considered.






**Rehabilitation of WASH facilities and water purification systems**
**BoQ for WaSH facilities**

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
<b>LOT1: Latrine&amp;shower Exoskeleton</b>						
1.1	PVC Door 	Providing a door made entirely of high-quality Right-hand white PVC, that can be locked from the inside and installed via four hinges. thickness: 42 mm.	M2	1		
1.2	PVC door Internal lock	Providing a PVC internal lock made of solid cast zinc structure, with a durable powder-coated surface, wear-resistant, smooth white surface, and can be used for a long time.	PCS	1		
1.3	PVC door handle	Providing PVC Plastic Door Handle length: 22cm width: 3 The product is made of sheet materials covered with plastic coating. the product is compatible with all door models. the product is fixed with the help of screws.	pcs	1		




**Rehabilitation of WASH facilities and water purification systems**
**BoQ for WaSH facilities**

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
1.4	Door hinge 	Providing Metal Door hinge with a support sheet. Interior: Sheet Metal. Exterior: Solid metal material. Length: 100mm. Material: galvanized steel The number of screws is 7 for every piece The screws are distributed on the panel body as shown in the attached picture to HH column.	PCS	1		



**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
1.5	Door lock 	<p>Providing PVC Door Lock 35 mm should has TS EN 12209 certificate.            1st class nickel door lock            It is guaranteed for a minimum of 2 years.            Body: Steel Galvanized coated            Mirror and Striker: Steel, Brass coated            Slide: Zamak Casting. Brass coated. Single turn            Latch: Zamak cast. Brass plated            The door thickness is 4,2 cm.            and the look should be a single spindle,            please have a look at the photo I added to the HH column</p>	PCS	1		



**Rehabilitation of WASH facilities and water purification systems**
**BoQ for WaSH facilities**

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
1.6	WC&banyo Grill (ventilation vent)	<p>Providing a plastic white grill of size 30×30 made from ABS material.</p> <p>The measurements are external dimensions. The standard adjustable handle is on the right side, and should not be affected by heat and moisture.</p> <p>It prevents insects and pests from entering. The airflow can be adjusted to the desired size thanks to the adjustable handle.</p>	PCS	1		
1.7	Sandwich Panel	<p>Providing Sandwich Panel 40mm</p> <p>Outer Face - Inner Face Painted Galvanized Sheet</p> <p>Sheet Thickness min 0.40 mm</p> <p>Density min 14 kg/m<sup>3</sup></p> <p>Thermal Conductivity Coefficient (according to TS EN 14509)</p> <p>Made of fireproof material</p> <p>The accepted colour for the sandwich panel is the default colour white or its shades, the panel dimensions are not standards so the price will be calculated according to the m<sup>2</sup> price.</p>	m <sup>2</sup>	1		
1.8	Wooden Windows	<p>Providing Wooden Window with TSE Standards. All as per instructions of supervisor engineer.</p>	m <sup>2</sup>	1		




**Rehabilitation of WASH facilities and water purification systems**
***BoQ for WaSH facilities***

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
1.9	PVC Windows	Providing PVC windows with TSE compliance certificate (A Class). All as per instructions of supervisor engineer. The price should cover all costs for the item	m2	1		
1.10	Aluminium Windows	Providing Aluminium with TSE Standards. All as per instructions of supervisor engineer. The price should cover all costs for the item.	m2	1		
1.11	Metal Profile	Providing galvanized steel 40*40 mm square profile Gray colour or his shades, 1.8mm thick, with two layers (base + paint layer of good quality) for the columns and beams, the work includes all the cutting and welding issues.	m	1		
1.12	Sheet Metal 0.5 mm	Providing of metal sheet panels with a thickness of 0.5 mm. Panels will be white or galvanized according to the instructions of the responsible engineer.	m <sup>2</sup>	1		
1.13	Sheet Metal 2 mm	Providing of metal sheet panels with a thickness of 2 mm. Panels will be white or galvanized according to the instructions of the responsible engineer.	m <sup>2</sup>	1		
1.14	Metal Ladder	metal ladder with two steps. Each step will be 15 centimetres high. The ladder will be made of 4x6 mm profile with a wall thickness of 2 millimetres. The steps will be made of at least	pcs	1		



**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
		2 millimetres of sheet metal. material: Galvanized aluminium				
1.15	U Metal sheet	Providing a u-section of metal sheet, a thickness of 1.2 mm, with dimensions of 40 * 42 * 40 mm under and around the walls of the sandwich panels	pcs	1		

**GENERAL REMARKS**


**BIDDER'S CONDITIONS:**

	<b>GENERAL CONDITIONS RECOMMENDED BY ACTED</b>	<b>GENERAL CONDITIONS OFFERED BY THE BIDDER (if different)</b>
<b>VALIDITY OF THE OFFER</b>	<i>3 months min; ideally 6 months</i>	
<b>TERMS OF PAYMENT</b>	<i>BANK TRANSFER</i>	

I undersigned (to be filled in by Bidders)

\_\_\_\_\_

agree to provide ACTED, a non-profit NGO, with items answering the following specifications, according to the general conditions and responsibilities that I engage myself to follow.

“By signing this document I hereby attest that I read all the offer form and understood all the conditions of this document, but also that I have studied carefully Acted technical requirement and that my price includes all its requirements:”

Name of Bidder's Authorized / İstekli Yetkilinin Adı:

Representative/ Temsilci: \_\_\_\_\_

Authorized signature and stamp/ Yetkili imza ve kaşe: \_\_\_\_\_

Date/Tarih: \_\_\_\_\_



**OFFER FORM ACTED *TURKIYE - Lot 2***

RFQ N° (filled in by ACTED): T/17FUM/ETT/LMN-LMU/HAT-ADY/Program/05-03-2024/1

Date (filled in by Bidders):

**To be Filled by Bidder (COMPULSORY)**

<b>Company's Name</b> (as per registration documents)	
<b>Company Authorized Representative's Name</b> (as per registration documents or duly signed Power of Attorney)	
<b>Company Registration Number</b> <b>Registration body</b>	
<b>Company's mailing address</b> Shop/Office/Building No Street name City Governorate/province/district Country	
<b>Commercial representative for the bid</b> (if different from authorized representative)	
<b>Phone contact number</b> Landline Mobile No	
<b>Email address</b>	

The prices indicated below must be in USD and include KDV. Any offer in TRY will not be considered.





Rehabilitation of WASH facilities and water purification systems						
BoQ for WaSH facilities						
No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
<b>LOT2: Interior accessories</b>						
2.1	Soap Dispenser	Liquid Soap Dispenser 500 ML. Material: Plastic Colour: Transparent- White <ul style="list-style-type: none"> <li>• oval insole design allows liquid soap to be used to the fullest.</li> <li>• Can be mounted on the wall.</li> <li>• With its transparent chamber, the consumption of liquid soap can be detected effortlessly.</li> <li>• Provides long-lasting use with its pump suitable for frequent use.</li> </ul>	PCS	1		
2.2	Mirror	Providing bathroom mirror Dimensions: min 30*40 cm, max 35*51 cm	PCS	1		
2.3	WC paper holder	Providing Toilet paper holder The product is made of metal material. It is chrome plated on metal. The product is mounted with screw dowel.	PCS	1		
2.4	Water tap	Providing water tap made of steel 1st QUALITY A++ Can open and closed easily by elders and children. Long-term durability is TSE certified.	PCS	1		




**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
2.5	Lavatory Basin 60*50 cm	Providing (TSE Standards - 1st quality) White ceramic one, size (60*50 )cm, with holder, lavatory drainage pipes and it will be completed with all fittings and valves.	PCS	1		
2.6	Lavatory Basin 60*40 cm	Providing (TSE Standards - 1st quality) White ceramic one, size (60*40 )cm, with holder, lavatory drainage pipes and it will be completed with all fittings and valves.	PCS	1		
2.7	Lavatory Drainage Pipes	Providing, and testing a standard lavatory style pipe for the lavatory following specifications. The function of this pipe is to transfer used water from the lavatory to the drain pipes - This type of pipe is length-controlled to suit the distance, starting from 30 cm up to 75 cm. - The standard range is 4 cm.	PCS	1		




**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
2.8	Electrical Water Heater 	<p>Providing of electric water heater (TSE Standards - 1st quality) with min capacity of 50 lt , the price includes all necessary valves (water connection), electrical connections cables with breakers, protection against pressure increases with check valve safety valve and safety thermostat user manual for electrical water heater (the document needs to be used as sticker on suitable area (the document must be protected from water, the document will be send by us, and all another needed works (copies, sticking etc.)will be done by subcontractor ) Heating element material should be stainless steel and all other fittings as per specifications. Controlling of electrical instalment is responsibility of contractor. Contractor is responsible for all safety problems about electrical instalment. Inside distribution box, checking the availability of resudial current circuit breaker (RCCB), availability and condition of earthing, distribution box's general condition and conformity of safety should be guaranteed by contractor. Diameter of cables should be proper for electrical installation of heater not to cause electrical fire risk.</p>	PCS	1		




**Rehabilitation of WASH facilities and water purification systems**
**BoQ for WaSH facilities**

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
2.9	Lavatory Mixer and head for shower-bath 	<p>Providing mixer + Shower Head with stainless steel shower hose, wire wound explosion proof thickened PVC inner hose, 150cm A QUALITY</p> <p>It is easy to maintain and clean with its self-cleaning silicone nozzle. It does not cause limescale or rust.</p> <p>150 Cm long, extremely durable strong PVC material, brass chrome plated connectors, and an inner tube made of non-toxic material. The accessory structure has an anti-winding function.</p>	set	1		
2.10	Flush-Tank	Providing 8Lt Flush Tank with all accessories, TSE standards 1st quality.	PCS	1		
2.11	Toilet Seat Cover	Providing Toilet seat cover white colour for western type	PCS	1		
2.12	Automatic Fuse	Providing 32 A Electrical Water Heater Conditioned	PCS	1		
2.13	Bulb	E27, 8 Watt White Light LED Bulb	PCS	1		



**Rehabilitation of WASH facilities and water purification systems**
**BoQ for WaSH facilities**

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
2.14	Caged luminaire	Oval Caged Luminaire Protection Class: IP54 It has 1 E27 socket (bulb not included). It has ISO 9001:2015 quality standards and certification. It has CE Certificate (complies with European standards).	PCS	1		
2.15	Electrical Switch	Providing, and dismantling of old with one-way and high-quality electrical switches 230/400V, 50/60 Hz.	PCS	1		
2.16	Water mixer for hot and cold water 	Water mixer for hot and cold water made up of chrome for hot and cold water. Spout length is 168 mm Upper tool connection is 1/2" Locking diverter the distance between water entrances is 150 mm	PCS	1		
2.17	Flush toilet	Providing Ceramic Flush Toilet Set Quality: First Quality Colour: White Toilet Seat: Included, PP Normal Close Inner Set Feature: Single Push Button Warranty Period: min 3 years, 2 years for covers and inner sets.	pcs	1		



**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
2.18	Toilet Siphon Inside Kit	Providing Toilet Siphon Inside Kit Bottom water inlet. With filter. Compatible with all ceramic cisterns. Adjustable water level. Fast water filling. Mechanical system with sudden shut-off. Complete sealing.	pcs	1		
2.19	Flexible pipe for toilet - waste water installation connection	Providing WC - with flexible pipe for wastewater installation connection high quality plastic Colour: White length 50cm Diameter 10cm	PCS	1		
2.20	Sink 60 cm	white Sink 60 Cm Made of ceramic material, it can be easily removed from dirt and lime stains. can be mounted on the wall. (mounting hardware included) With water overflow hole	PCS	1		



**Rehabilitation of WASH facilities and water purification systems**
***BoQ for WaSH facilities***

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
2.21	Sink 28*37 cm	Providing Toilet Sink with high quality 28X37 cm sink Colour: White, Made of ceramic material, it can be easily removed from dirt and lime stains. can be mounted on the wall. (mounting hardware included) Armature With Hole	PCS	1		
2.22	Sink Strainer and Siphon	Providing of siphon with nut strainer diameter 110 mm materials: stainless steel 40mm brass screw	PCS	1		
2.23	Stainless disabled grab bar	Providing of 304 quality stainless materials. Length:60 cm It has the feature of opening and closing. It is used as a wall mounted.	PCS	1		
2.24	Steel bathroom tub handle	Providing of 304 quality stainless materials. 60 cm Steel Bathroom Tub Handle	PCS	1		



**GENERAL REMARKS****BIDDER'S CONDITIONS:**

	<b>GENERAL CONDITIONS RECOMMENDED BY ACTED</b>	<b>GENERAL CONDITIONS OFFERED BY THE BIDDER (if different)</b>
<b>VALIDITY OF THE OFFER</b>	<i>3 months min; ideally 6 months</i>	
<b>TERMS OF PAYMENT</b>	<i>BANK TRANSFER</i>	

I undersigned (to be filled in by Bidders)

\_\_\_\_\_ agree to provide ACTED, a non-profit NGO, with items answering the following specifications, according to the general conditions and responsibilities that I engage myself to follow.







"By signing this document I hereby attest that I read all the offer form and understood all the conditions of this document, but also that I have studied carefully Acted technical requirement and that my price includes all its requirements:"

Name of Bidder's Authorized / İstekli Yetkilinin Adı:

Representative/ Temsilci: \_\_\_\_\_

Authorized signature and stamp/ Yetkili imza ve kaşe: \_\_\_\_\_

Date/Tarih: \_\_\_\_\_



**OFFER FORM ACTED *TURKIYE* – LOT 3**

RFQ N° (filled in by ACTED): T/17FUM/ETT/LMN-LMU/HAT-ADY/Program/05-03-2024/1

Date (filled in by Bidders):

**To be Filled by Bidder (COMPULSORY)**

<b>Company's Name</b> (as per registration documents)	
<b>Company Authorized Representative's Name</b> (as per registration documents or duly signed Power of Attorney)	
<b>Company Registration Number</b>	
<b>Registration body</b>	
<b>Company's mailing address</b> Shop/Office/Building No Street name City Governorate/province/district Country	
<b>Commercial representative for the bid</b> (if different from authorized representative)	
<b>Phone contact number</b> Landline Mobile No	
<b>Email address</b>	

The prices indicated below must be in USD and include KDV. Any offer in TRY will not be considered.



Rehabilitation of WASH facilities and water purification systems						
<i>BoQ for WaSH facilities</i>						
No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
<b>LOT 3: Connections</b>						



**Rehabilitation of WASH facilities and water purification systems**
***BoQ for WaSH facilities***

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
3.1	Water Pump	<p>(TSE Standards - 1st quality) Providing of Water Pump (electrical water dynamo), the pump must be installed in an enclosed environment and protected from harsh weather conditions (extreme heat and extreme cold). Its technical specification must be in accordance with performance ranges: for example; the water must be pumped at least up to 30 meters. The price includes all necessary pipes connections, electrical connections cables with breakers and all other fittings as per specifications.</p> <p>Features:</p> <p>Motor Power: 0.5 HP</p> <p>Automatic Operation: Auto-starts when the faucet is opened, stops when closed</p> <p>Inlet/Outlet Diameter: 1 inch</p> <p>Performance Range: Up to 50 Liters per minute (3 m<sup>3</sup>/hour)</p> <p>Maximum Pumping Height: 30 meter</p> <p>Maximum Suction Distance: 6 meters</p> <p>Ideal Suction Distance: 5-6 meters</p> <p>Maximum Operating Pressure: 3 Bar</p>	pcs	1		



**Rehabilitation of WASH facilities and water purification systems**
***BoQ for WaSH facilities***

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
3.2	Water Pipe	Providing and testing a clean water pipe - Material : PPRC - Diameter : 20 mm - Standard Length: 4, 6 and 12 meters. - Pressure Category: PN16 (min)	m	1		
3.3	Water Pipe	Providing clean water pipe U-PVC (32mm), or galvanized pipes. The price should be included within the whole items that are going to be used. - Standard Length: 4, 6 and 12 meters. - Pressure Category: PN16 (min)	m	1		
3.4	Water Pipe	Providing clean water pipe HDPE (20mm), or galvanized pipes. The price should be included within the whole items that are going to be used. - Standard Length: 4, 6 and 12 meters. - Pressure Category: PN16 (min)	m	1		
3.5	Water Pipe	Providing clean water pipe tube coil "kangal" (32mm), or galvanized pipes. The price should be included within the whole items that are going to be used. - Standard Length: 4, 6 and 12 meters. - Pressure Category: PN16 (min)	m	1		



**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
3.6	T-Pipe	Providing Water based pipe which will be connected to the needed pipes type. The price should be included within whole items are going to be used. Material: PPRC Diameter: 20 mm	pcs	1		
3.7	T-Pipe	Providing U-PVC T Water pipe (32 mm) which will be connected to the needed pipe type. The price should be included within the whole items that are going to be used.	pcs	1		
3.8	T-Pipe	Providing T tube coil "kangal" Water pipe (20 mm) which will be connected to the needed pipe type. The price should be included within the whole items that are going to be used.	pcs	1		
3.9	T-Pipe	Providing one T tube coil "kangal" Water pipe (32 mm) which will be connected to the needed pipe type. The price should be included within the whole items that are going to be used.	pcs	1		
3.10	Open elbow 4"	Providing high quality PVC open elbow 100 mm	pcs	1		
3.11	Open elbow 2"	Providing high quality PVC open elbow 50 mm	pcs	1		
3.12	Elbow 4"	Providing high quality PVC elbow 100 mm	pcs	1		
3.13	Elbow 2"	Providing high quality PVC elbow 50 mm	pcs	1		



**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
3.14	S siphon 4"	Providing high quality PVC S siphon 100 mm	PCS	1		
3.15	PVC Single Fork	Providing high quality PVC Single Fork 100/50	PCS	1		
3.16	PVC Single Fork	Providing high quality PVC Single Fork 100/100	PCS	1		
3.17	PVC 100/100 T	Providing high quality Pvc 100/100 T	PCS	1		
3.18	100 mm PVC pipe	<p>Providing pipes, including excavation and backfilling with the necessary levelling. it is manufactured with high-quality pvc material and has a durable structure. its double-wall structure enhances the strength of the pipe and provides excellent durability. 3.20 mm thickness.</p> <p>it belongs to the class of difficult-to-ignite building materials defined as b1 in din 4102 standards and national fire regulation. dublex pvc waste water fittings; with its "o-ring" gasket and perfectly compatible gasket socket, they are absolutely leak-proof. pvc dublex pipe and fittings have smooth inner and outer surfaces, preventing sediment and accumulation in your waste water plumbing, eliminating bacteria, odor, blockage, and loss of flow performance, ensuring smooth and fast flow.</p>	M	1		



**Rehabilitation of WASH facilities and water purification systems**
**BoQ for WaSH facilities**

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
3.19	Excavation and Backfilling for PVC Pipe Installation	Trench excavation for 100 mm PVC pipe laying, including removal and disposal of existing materials. Backfilling with sand then gravel to ensure pipe stability and alignment.	m3	1		
3.20	PVC Pipe Waste Water Closing Head 4"	Providing high quality PVC Pipe Waste Water Closing Head	pcs	1		
3.21	PVC Waste Water Pipe Single Fork 100/100	Providing high quality PVC Waste Water Pipe Single Fork 100/100	pcs	1		
3.22	Steel Braided Hose for toilet seat	Providing 50 or 70 cm steel braided hose for toilet seat that has a bendable and pliable structure. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. It is extremely healthy for connections in main water lines thanks to its stainless structure and anti-corrosive properties.	PCS	1		
3.23	Steel Braided Hose for toilet seat	Providing 30 cm steel braided hose for a toilet seat that has a bendable and pliable structure. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. healthy for connections in main water lines. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field.	PCS	1		





**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
		Stainless structure and anti-corrosive properties.				
3.24	Steel Braided Hose for toilet seat	Providing 40 cm steel braided hose for a toilet seat that has a bendable and pliable structure. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. healthy for connections in main water lines. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field. Stainless structure and anti-corrosive properties.	PCS	1		
3.25	Steel Braided Hose for toilet seat	Providing 60 cm steel braided hose for a toilet seat that has a bendable and pliable structure. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. healthy for connections in main water lines. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field. Stainless structure and anti-corrosive properties.	PCS	1		




**Rehabilitation of WASH facilities and water purification systems**
**BoQ for WaSH facilities**

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
3.26	Steel Braided Hose for toilet seat	Providing 70 cm steel braided hose for a toilet seat that has a bendable and pliable structure. pressure and temperature-resistant hoses that provide reliable, quick, and easy connection. healthy for connections in main water lines. Diameter: 1/2 inch (12.7mm) or 3/8inch (9.535 mm) according to the case in the field. Stainless structure and anti-corrosive properties.	PCS	1		
3.27	Bidet Faucet Head	Providing 1st Quality Bidet Faucet -- plastic White Handle -- • Hose connection outlet size 3/8• Tap Wall connection thread 1/2”•	PCS	1		
3.28	Coupling TE	Providing high quality COUPLING TE 0.5 inch / PN20	PCS	1		
3.29	Coupling TE	Providing high quality COUPLING TE Ø32 / pn16	PCS	1		
3.30	Coupling Sleeve	Providing high quality COUPLING SLEEVE Ø32/16 ATÜ	PCS	1		
3.31	Coupling Sleeve	Providing high quality COUPLING SLEEVE 0.5 inch pn20	PCS	1		
3.32	Elbow Adapter	Providing high quality TAIL ELBOW 0.5"	PCS	1		
3.33	Cast Nipple	Providing high quality CAST NIPPLE 0.5"	PCS	1		
3.34	Adaptor Coupling	Providing high quality KAPLİN ADAPTÖR İÇ DIŞLI Ø32X1"/ 16 ATÜ	PCS	1		



**Rehabilitation of WASH facilities and water purification systems**
**BoQ for WaSH facilities**

No	Item Name	Description	Unit	Quantity	Price without installation including KDV (USD)	Price with Installation including KDV (USD)
3.35	Adaptor Coupling	Providing high quality KAPLİN ADAPTÖR DIŞ DIŞLI Ø32X1"/ 16 ATÜ	PCS	1		
3.36	Water check valve	Providing high quality 1/2-inch water check valve that allows water to flow in one direction only and prevents backflow, which can occur when water pressure drops and causes water to flow in the opposite direction.	PCS	1		
3.37	Direct water heater 	Instantaneous water heater Operating Voltage 230 V AC Frequency 50 / 60 Hz Power 7 kW Min. Working Pressure 25 kPa (2.5 mSS) Max. Working Pressure 600 kPa (61 mSS) Flow Rate 4 L/min Dimensions (Box) 330 mm x 210 mm x 110 mm Net Weight 2 kg Protection Against Humidity IPX4 Easy to install and practical to use. It can be used wherever hot water is needed. There is no need for a water tank.	PCS	1		



**GENERAL REMARKS****BIDDER'S CONDITIONS:**

	GENERAL CONDITIONS RECOMMENDED BY ACTED	GENERAL CONDITIONS OFFERED BY THE BIDDER (if different)
<b>VALIDITY OF THE OFFER</b>	<i>3 months min; ideally 6 months</i>	
<b>TERMS OF PAYMENT</b>	<i>BANK TRANSFER</i>	

I undersigned (to be filled in by Bidders)

agree to provide ACTED, a non-profit NGO, with items answering the following specifications, according to the general conditions and responsibilities that I engage myself to follow.





"By signing this document I hereby attest that I read all the offer form and understood all the conditions of this document, but also that I have studied carefully Acted technical requirement and that my price includes all its requirements:"

Name of Bidder's Authorized / İstekli Yetkilinin Adı:

Representative/ Temsilci: \_\_\_\_\_

Authorized signature and stamp/ Yetkili imza ve kaşe: \_\_\_\_\_

Date/Tarih: \_\_\_\_\_



**OFFER FORM ACTED *TURKIYE* – LOT 4**

RFQ N° (filled in by ACTED): T/17FUM/ETT/LMN-LMU/HAT-ADY/Program/05-03-2024/1

Date (filled in by Bidders):

**To be Filled by Bidder (COMPULSORY)**

<b>Company's Name</b> (as per registration documents)	
<b>Company Authorized Representative's Name</b> (as per registration documents or duly signed Power of Attorney)	
<b>Company Registration Number</b>	
<b>Registration body</b>	
<b>Company's mailing address</b> Shop/Office/Building No Street name City Governorate/province/district Country	
<b>Commercial representative for the bid</b> (if different from authorized representative)	
<b>Phone contact number</b> Landline Mobile No	
<b>Email address</b>	

The prices indicated below must be in USD and include KDV. Any offer in TRY will not be considered.



**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price including KDV (USD)
<b>LOT 4: Other Works</b>					
4.1	C15 concrete	Supply and pour C15 or higher concrete, along with compaction and leveling. The work includes the use of the necessary molds, whether plywood or metal.	M3	1	
4.2	Gravelling	Providing and implementation of gravelling works with an average thickness of 15 cm, with a suitable grain gradient, so that the percentage of fine grain does not exceed 20%, using needed mechanisms with hydration and compacting using metal rocking rollers, where the rolled layer does not exceed 15 cm with all that is necessary, according to the recommendations of the supervisors and engineers.	M3	1	
4.3	Plumbing works	Plumbing work: Comprises minor tasks that are straightforward and not listed elsewhere	Hour	1	
4.4	electrical works	Electrical work: Comprises minor tasks that are straightforward and not listed elsewhere.	Hour	1	



**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price including KDV (USD)
4.5	Tiling	<p>Providing non-slipping white ceramic FLOOR tiles size 20×20×0.8 cm for (Local class A) PwD latrines.</p> <p>The price should include adhesive-appropriate material with the necessary thickness.</p> <p>All required finishing including grouting, cleaning, and other necessary works.</p> <p>All works will be according to the instructions of the Engineer.</p>	M2	1	
4.6	Water Tank	<p>500 liter polyethylene horizontal tank.</p> <p>The thickness of the tank body is 5 mm.</p> <p>The diameter of the water inlet is 1/2 inch.</p> <p>The diameter of the water outlet is 1/2 inch.</p> <p>Approximate lid diameter is 32cm allowing for easy cleaning.</p> <p>Operating temperature -5°C +50°C.</p> <p>Approximate weight 19 kg.</p> <p>Made of high quality materials.</p> <p>It must have UV stabilization property.</p> <p>It has nutritional suitability accepted by international food organizations.</p> <p>Treat to prevent algae formation indoors.</p> <p>It is under warranty for two years.</p> <p>The cost should include installation.</p>	Pcs	1	





**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price including KDV (USD)
4.7	Excavation and backfilling	The work includes all the necessary excavation work to connect the units to the sewage network and the water network, taking into account appropriate digging tendencies and safety standards, then backfilling and cleaning the surroundings. The contractor must provide all the necessary tools for manual digging or heavy machinery according to site conditions and the decisions of the supervising engineer	M3	1	
4.8	Rental Crane	Medium Series Hydraulic Cranes Hydraulic cranes with a load lifting capacity of 8-15 tons.	Hour	1	
4.9	Rental JCB	Suitable size for easy transportation between work sites It has a powerful motor that provides torque suitable for drilling in normal (non-rocky) soil. Ability to reach a suitable depth for installing sewer pipes. It has a built-in backfill system to refill trenches after installing pipes. Sufficient lighting for working in various weather conditions. Meets safety standards. The party carrying out the drilling must	Hour	1	



**Rehabilitation of WASH facilities and water purification systems**
*BoQ for WaSH facilities*

No	Item Name	Description	Unit	Quantity	Price including KDV (USD)
		adhere to the instructions of the ACTED engineer and is considered responsible for any sabotage that may occur in the infrastructure or public and private property.			

**GENERAL REMARKS**

**BIDDER'S CONDITIONS:**

	<b>GENERAL CONDITIONS RECOMMENDED BY ACTED</b>	<b>GENERAL CONDITIONS OFFERED BY THE BIDDER (if different)</b>
<b>VALIDITY OF THE OFFER</b>	<i>3 months min; ideally 6 months</i>	
<b>TERMS OF PAYMENT</b>	<i>BANK TRANSFER</i>	

I undersigned (to be filled in by Bidders)

\_\_\_\_\_ agree to provide ACTED, a non-profit NGO, with items answering the following specifications, according to the general conditions and responsibilities that I engage myself to follow.

“By signing this document I hereby attest that I read all the offer form and understood all the conditions of this document, but also that I have studied carefully Acted technical requirement and that my price includes all its requirements.”

Name of Bidder's Authorized / İstekli Yetkilinin Adı:

Representative/ Temsilci: \_\_\_\_\_

Authorized signature and stamp/ Yetkili imza ve kaşe: \_\_\_\_\_

Date/Tarih: \_\_\_\_\_





## BIDDER'S CHECK LIST ACTED Turkey

Date: 04/03/2024

Tender N°: T/17FUM/ETT/LMN/LMU/HAT-ADY/Program/05-03-2024/1

**BEFORE SENDING YOUR BIDDING DOCUMENTS, PLEASE CHECK THAT EACH OF THE FOLLOWING ITEMS IS COMPLETE AND RESPECTS THE INSTRUCTIONS TO BIDDERS' CONDITIONS:**

#	Description	To be filled in by Bidder		For ACTED use only (to be filled in by Purchase Committee)		
		Included		Present		Comments
		Yes	No	Yes	No	
1	Instructions to Bidders (PRO-05) signed & stamped by the Bidder (electronic signature and/or stamp is not accepted)					
2	Original Offer Form (PRO-06) dated, filled, signed & stamped by the Bidder (detailed as per the requested currency)					
3	Supplier Questionnaire (PRO-06.1) dated, filled, signed & stamped by the Bidder					
4	ACTED Ethical Declaration (PRO-06.2) dated, filled, signed & stamped by the Bidder					
5	Bidder's official registration documents					
6	Bidder's legal representative national ID or passport					
7	Technical datasheet, catalogues, and/or Pictures of items in the BoQ					
8	Annex 2 – Technical Proposal					
9	CVs of Personnel					
10	Previous Contracts, records, experience certificates, or any other relevant proof					

First & Last Name of Bidder's authorized representative: \_\_\_\_\_

Position of Bidder's authorized representative: \_\_\_\_\_

Authorized signature: \_\_\_\_\_

