

Fiyat Teklif Çağrısı RFQ-TUR-2024-036

Hatay Hilalkent Kampı için Hijyen Malzemeleri Tedariği (2024)

Invitation to Bid RFQ-TUR-2024-036 Supply of Hygiene Materials for Hilalkent Refugee Camp (2024)

1- Arka Plan/ Background

Save the Children's work improves children's life and saves children's lives across 120 countries around the world, to ensure children have healthcare, food, and shelter, as well as learning and child protection services when children need it most. We are committed to helping all children achieve their full potential by ensuring they grow up healthy, receive a good education, and stay safe.

At Save the Children Türkiye, we believe every child deserves a bright future. Since 2013, we have worked in Istanbul and Hatay to help children affected by the Syrian crisis, providing child protection, psychosocial support, early childhood education, and livelihood aid. Following the devastating 2023 earthquakes, we rapidly expanded efforts to meet urgent needs in across the worst affected provinces, including Kahramanmaraş, Adıyaman and Gaziantep.

Save the Children'in çalışmaları, dünya genelinde 120 ülkede çocukların hayatını iyileştiriyor ve en çok ihtiyaç duydukları zamanlarda çocukların sağlık hizmetlerine, gıdaya ve barınağa, ayrıca öğrenme ve çocuk koruma hizmetlerine sahip olmalarını sağlayarak çocukların hayatını kurtarıyor. Tüm çocukların sağlıklı bir şekilde büyümelerini, iyi bir eğitim almalarını ve güvende kalmalarını sağlayarak potansiyellerine ulaşmalarına yardımcı olma konusunda kararlıyız.

Save the Children Türkiye olarak, her çocuğun parlak bir geleceği hak ettiğine inanıyoruz. 2013 yılından bu yana, Suriye krizinden etkilenen çocuklara yardım etmek için İstanbul ve Hatay'da çalışıyoruz, çocuk koruma, psikososyal destek, erken çocukluk eğitimi ve geçim desteği sağlıyoruz. Yıkıcı 2023 depremlerinin ardından, Kahramanmaraş, Adıyaman ve Gaziantep gibi en kötü etkilenen illerde acil ihtiyaçları karşılamak için çabalarımızı hızla genişlettik.

2- Teknik Özellikler/ Technical Specifications

The offer should adhere to the technical specifications outlined below.

1	Yüzey Temizleyici 30 Kg / Surface Cleaner 30 Kg	piece	180
2	Bulaşık Deterjani 30 Kg / Dishwashing Detergent 30 Kg	piece	60
3	Çamaşır Suyu 30 Kg / Bleach 30 Kg	piece	240
4	Sivi Sabun 30 Kg / Liquid Soap 30 Kg	piece	180
5	Büyük Boy Çöp Poşeti 1 Koli (200 Adet) / Large Garbage Bags	box	120
6	Yer Yıkama Firçası / Scrubbing Brush	piece	180
7	Ahşap Saplı Çöp Toplama Küreği / Wooden Handled Metal Shovel	piece	180

8	Çöp Toplama Aparatı - Kısıkaçı / Garbage Collection Apparatus - Grapple	piece	180
9	Vileda Set / The Vileda Cleaning Set	piece	60
10	Çekpas / Squeegee	piece	180
11	Sokak Süpürgesi / Street Broom	piece	120
12	Pudrasız Latex Eldiven (L Beden) / Powder-Free Latex Gloves (Size L)	box	1386
13	Tekerlekli Çöp Kovası / Wheelie Trash Can	piece	60
14	Tuvalet Fırçası / Toilet Brush	piece	248
15	Lavabo Fırçası / Sink Brush	piece	248
16	Çamaşır Suyu 5 KG / Bleach 5 KG	piece	496
17	Sıvı Sabun 5 KG / Liquid Soap 5 KG	piece	620
18	Cam temizleyici 5 KG / Glass Cleaner 5 KG	piece	248
19	Yüzey Temizleyici 5 KG / Surface Cleaner 5 KG	piece	372
20	Mikrofiber Temizlik Bezi / Microfiber Cleaning Cloth Pack of 20 cleaning cloths for cleaning purposes.	pack	186
21	5'li temizlik süngeri paketi / Pack of 5 cleaning sponges	pack	310
22	Askılı Tuvalet Koku Giderici / Hanging Toilet Deodorizer	piece	620
23	Lateks Temizlik Eldiveni / Latex Cleaning Gloves	box	248
24	Bulaşık Deterjanı 5 KG / Dishwashing Detergent 5 KG	piece	248
25	Kağıt Havlu Z Katlı/ Paper Towel Z-Fold each box should contain 12 package and each pack should be at least 200 sheets	box	372
26	Cerrahi Maske / Surgical Mask	box	186

Detailed technical specifications (**Annex-A**) attached in the product criteria section this RFQ.

3- Submission of Bid

Quotations must be submitted latest by **13 May 2024 17:00 (local time; GMT+3)** electronically to below address. If mail server does not allow you to attach all documents, you can send in separate e-mails.

formal.turkey@savethechildren.org

3.1. Documents to be submitted:

Documents indicated in "Evaluation" section (please refer to Section 4)

Copy of signed and stamped Technical Specifications

Catalogue of offered item.

3.2. Sample/Catalogue Submission

Please share the technical specifications of each offered products in your offer. All bidders are requested to provide the photos of each offered products as catalogue along with your quotation to formal.turkey@savethechildren.org

3.2. Inquiries

- Please contact with procurement.turkey@savethechildren.org for inquiries with deadline of **10 May 2024 17:00**

4- Evaluation Criteria

ESSENTIAL CRITERIA

Bidder must meet the following criteria.

- Please provide necessary documentation for proof of your registration in country (Trade Registry Gazette, Chamber of Commerce Registration, Tax Plate, Circular of Signature for signatory person for the offer submitted)
- A statement (signed/stamped) that confirms submitted unit prices (US Dollar) are going to be valid for 45 days.
- Full compliance with SCI standard policies (Please sign and stamp the document namely SCI Supplier Sustainability Policy and send together with your proposal).
- Technical Specifications should be filled & dully signed/tamped.
- Offerors must provide technical catalogue with their proposal.
- Payment within 30 calendar days after the delivery of the requested items.

CAPABILITY CRITERIA (40%)

- Delivery lead time (20%)
- Quality and technicality of the offered items (please share photos and specification). (20%)

SUSTAINABILITY CRITERIA (10%)

- The bidder has a legal establishment or a company in Hatay thus reducing the carbon footprint and developing the local economy after the earthquake. (10%)

COMMERCIAL CRITERIA (50%)

- Bids must be submitted in unit price and in US Dollars. **(VAT and other fees and expenses must be included to the unit price) (%50)**
- Submit your offer signed and stamped only on the RFQ document in PDF format and as well Excel format.

ATTACHMENTS - PRODUCT CRITERIA

The detailed information given for the products listed below describes the requested products in general terms to the companies that will bid. **For detailed information, please review the RFQ document.**

PACKAGING AND SHIPPING PRINCIPLES

All requested materials will be provided in closed and the original boxes. The information and quantities of the products inside will be written on the boxes.

The supplier company is responsible for any damage, loss and collateral damage that may occur during shipping and delivery, and for the elimination of damages that have occurred. In similar cases, Save the Children Turkey Representative has the freedom not to accept the products unless the deficiencies are corrected.

The products will be delivered to **Save the Children's designated locations in Hatay.**

The supplier will be responsible of delivering all required products as per DDP incoterm. All expenses including delivery, loading, offloading must be included in the price.

A) PRACTICE PRINCIPLES AND CONTROL



1. Payments will be made over the performance of the unit services specified in the tender annex. The Contractor accepts and undertakes that he/she cannot demand price difference for any service.
2. In this agreement, no advance payment or interim progress payment will be made, and payment may be requested after the delivery of the works is completed.
3. The completion of the work subject to the order will be subject to the approval of the SCI officer. The order will not be considered completed until the revisions that may be requested at the end of the work are completed, and the payments will be made when the revision etc. is followed by the progress payment.

Annex A Technical Specifications and Requirements



- **Materials should meet the specifications, and if necessary, samples and measurements should be provided in advance in exceptional circumstances.** / Materyaller spesifikasyonlara uymalı, istisnai durumlarda önden materyal örneği ve ölçüleri paylaşılmalıdır.
- **Supplier must share a catalogue containing all the items specified above.** / Tedarikçinin yukarıda belirtilen tüm materyalleri içeren bir katalog paylaşması gerekmektedir.
- **The materials should be appropriate for container classrooms and should be easily portable.** / Malzemeler konteyner sınıflarda kullanıma uygun olmalı ve kolay hareket ettirilebilir olmalıdır.
- **The price quotation should include transportation, assembly, and relocation services to the designated warehouse or destination.** / Fiyat teklifinin içine nakliye, montaj, ilgili depoya veya lokasyona taşıma hizmeti dahil olmalıdır.
- **All products should have at least a 2-year warranty.** / Tüm ürünler en az 2 yıl garantili olmalıdır.
- **Save the Children does not commit to purchasing all products and retains the right to request items based on needs and quantities required.** / Save the Children, tüm ürünleri satın alma taahhüdünde bulunmaz, ihtiyaçlara ve gerekli miktarlara göre ürün talep etme hakkını saklı tutar.



No	Item	Technical Specification	Sample And Other Details
1	Yüze Temizleyici 30 Kg/ Surface Cleaner 30 Kg	<p>Ürün 30 Kg'lık Kapakları Mühürlü Plastik Bidon Ambalajlarda Olmalıdır. Yüze Temizleyicinin Asiditesi 7,0 ±0.5 Ph Olmalıdır. Ambalaj Üzerinde Mutlaka Ürünün Adı, Üretim /İthal İzin Tarihi Nosu Ve İçeriği Yazılı Olmalıdır. Ürünün Raf Ömrü En Az 2 (iki) Yıl Olmalıdır. Ürün Toksik Ve Zararlı Uçucu Madde İçermemelidir. Ürünün Kullanılan Malzemeler Üzerinde Aşındırıcı, Matlaştırıcı Etkisi Olmamalıdır. Ürünün Cilt, Göz Ve Solunum Yollarına İritan Etkisi Olmamalıdır. Ürün İslanmasında Sakınca Olmayan Her Türlü Yüze (Yer, Duvar, Masa, Her Türlü Cihaz Yüzeyleri) Kullanıma Uygun Olmalıdır. Ürün Uygulamayla Geride Hoş Bir Koku Bırakmalıdır. Ürünün İçeriğinde Bulunan Yüze Aktif Maddeleri Biyolojik Olarak Doğada Parçalanabilmelidir.</p> <p>/</p> <p>The Product Delivered Must Come In Sealed Plastic Jerry Cans, Either In 30 Kg Sizes. The Acidity Of The Surface Cleaner Should Be Ph 7.0 ±0.5. The Product Name, Production/Import Permit Date, Number, And Content Must Be Written On The Packaging. The Shelf Life Of The Product Should Be At Least 2 (Two) Years. The Product Should Not Contain Toxic Or Harmful Volatile Substances. The Materials Used In The Product Should Not Have Abrasive Or Dulling Effects. The Product Should Not Have Irritating Effects On The Skin, Eyes, Or Respiratory System. The Product Should Be Suitable For Use On Any Surface That Does Not Pose A Risk When Wet (Floor, Wall, Table, All Types Of Device Surfaces). The Product Should Leave A Pleasant Scent After Application. The Surfactants Contained In The Product's Ingredients Should Be Biodegradable In Nature.</p>	


2	Bulaşık Deterjani 30 Kg / Dishwashing Detergent 30 Kg	<p>Ürün 30 Kg'lık Kapakları Mühürlü Plastik Bidon Ambalajlarda Olmalıdır. Ürünler Karışık Renklerde Gönderilmemelidir. Elde Yıkayan Bulaşıklar İçin Özel Formüle Edilmiş Hoş Kokulu Ve Köpüklü Olmalıdır. Donmuş Yağ, Yemek Artıklarını, Nişasta Ve Protein Lekelerini Kolayca Temizlemelidir. Kolay Durulanmalı Ve Leke Bırakmamalıdır. Ürünün Yapısında Cildi Koruyucu Maddeler Bulunmalıdır. Kapakta Emniyet Pimi Bulunmalıdır. Aniyonik Ve Noniyonik Yüzey Aktif Maddeler Koruyucu Madde Ve Parfüm İçermelidir. Tse Ve Iso Belgeleri Olmalıdır. Orijinal Ambalaj Üzerinde Üretici Firma Adı, Markası, Ürün Adı, Kullanma Talimatı, Uyarıcı Öneriler, Son Kullanma Tarihi, Yoğunluk Oranı, Ph Değeri Ile İlgili Bilgiler Olmalıdır. Bu Bilgiler Orjinal Ambalaj Üzerinde Olmalıdır.</p> <p>/</p> <p>The Product Delivered Must Come In Sealed Plastic Jerry Cans, Either In 30 Kg Sizes. Products Should Not Be Sent In Mixed Colors.</p> <p>It Should Be Specially Formulated For Hand-Washed Dishes, With A Pleasant Scent And Foamy.</p> <p>It Should Easily Remove Frozen Grease, Food Residues, Starch, And Protein Stains. It Should Be Easy To Rinse And Leave No Stains.</p> <p>The Product's Composition Should Include Skin-Protecting Agents.</p> <p>The Cap Should Have A Safety Pin.</p> <p>Anionic And Non-Ionic Surfactants Should Contain Preservatives And Perfume.</p> <p>Tse And Iso Certifications Are Required.</p> <p>The Original Packaging Should Contain The Manufacturer's Name, Brand, Product Name, Instructions For Use, Cautionary Recommendations, Expiration Date, Density Ratio, And Ph Value. These Details Should Be On The Original Packaging.</p>	
---	---	---	--



3	<p>Çamaşır Suyu 30 Kg / Bleach 30 Kg</p>	<p>Ürün 30 Kg'lık Kapakları Mühürlü Plastik Bidon Ambalajlarda Olmalıdır. Yüksek Kıvamlı Ve Berrak Sıvı Görünümlü Olmalıdır, Kokusu Rahatsız Edici Olmamalıdır. Dezenfektan Özelliği Olmalıdır. Aktiflor Miktarı (%):4,5 Olmalıdır. Kararlılık Sonrası Aktiflor Miktarı (%)(En Az):4 Olmalıdır. Sodyum Hidroksit Miktarı (%) (En Çok):1,5 Olmalıdır. Ph Değeri (En Az): 11 Olmalıdır. Ph Değeri (En Çok): 13 Olmalıdır.</p> <p>The Product Delivered Must Come In Sealed Plastic Jerry Cans, Either In 30 Kg Sizes. It Should Have A High Viscosity And Appear Clear In Liquid Form. Its Odor Should Not Be Unpleasant. It Must Have Disinfectant Properties. The Active Chlorine Content (%) Should Be 4.5. The Active Chlorine Content After Stability (%) (Minimum) Should Be 4. The Sodium Hydroxide Content (%) (Maximum) Should Be 1.5. Ph Value (Minimum) Should Be 11. Ph Value (Maximum) Should Be 13.</p>	
4	<p>Sivi Sabun 30 Kg / Liquid Soap 30 Kg</p>	<p>Ürün 30 Kg'lık Kapakları Mühürlü Plastik Bidon Ambalajlarda Olmalıdır. El Sabunu İçeriğinde Ağır Kimyasallar İçermemeli. İçeriğinde Cildi Tahriş Etmeyen Ve Cildi Koruyucu Maddeler Olması Gerekmemelidir. Düz Yüzeyle Olması Gerekmemelidir. İçerisinde Palmiye Yağı Bulundurmamalıdır. İçeriğinde Paraben, Gluten Gibi Zararlı İçeriklerin Ve Petrol Türevleri Olmamalıdır. Anyonik Aktif Madde Miktarı (Yağ Alkolü Eter Sülfat) (%) (En Az): 3 Olmalıdır. Ph Değeri (En Az) (30 C De Direkt Numunede): 5 Olmalıdır. Ph Değeri (En Çok) (30 C De Direkt Numunede): 7 Olmalıdır. Viskozite (Cp) (En Az) (20 C De): 500 Olmalıdır. Viskozite (Cp) (En Çok) (20 C De): 2700 Olmalıdır. Hoş Kokulu Olmalıdır. Ürünler Karışık Renklerde Gönderilmemelidir.</p> <p>The Product Delivered Must Come In Sealed Plastic Jerry Cans, Either In 30 Kg.</p>	

		<p>Hand Soap Should Not Contain Heavy Chemicals.</p> <p>It Should Contain Skin-Friendly And Skin-Protective Agents.</p> <p>It Should Have A Smooth Surface.</p> <p>It Should Not Contain Palm Oil.</p> <p>It Should Not Contain Harmful Ingredients Such As Parabens, Gluten, Or Petroleum Derivatives.</p> <p>The Anionic Active Substance (Fatty Alcohol Ether Sulfate) Content (%) (Minimum) Should Be 3.</p> <p>Ph Value (Minimum) (Direct Sample At 30°C): 5.</p> <p>Ph Value (Maximum) (Direct Sample At 30°C): 7.</p> <p>Viscosity (Cp) (Minimum) (At 20°C): 500.</p> <p>Viscosity (Cp) (Maximum) (At 20°C): 2700.</p> <p>It Should Have A Pleasant Scent.</p> <p>Products Should Not Be Sent In Mixed Colors.</p>	
5	<p>Büyük Boy Çöp Poşeti 1 Koli (200 Adet) / Large Garbage Bags</p>	<p>70x90 Ölçülerinde, Siyah Renkte Olmalıdır. Çift Kat, 100 Mikron Ve Adedi Min. 63 Gr. (± 2 Gr.) Olmalıdır.</p> <p>70 Lt. Hacminde, Çift Kaynaklı Olmalıdır. Ürün Orijinal Ambalajında, Rulo Halinde Her Ruloda 10 Adet Bulunmalıdır.</p> <p>Koli Şeklinde Sipariş Verilecektir Ve 1 Kolide 24 Rulo 240 Adet Bulunmalıdır.</p> <p>Orijinal Ambalajı Üzerinde İmalatçı Adı Veya Ticari Adı Ve Adresi, Üretim Tarihi, Varsa Özel Depolama Şartları Ve Ürün Özellikleri Yazılı Olmalıdır.</p> <p>Perfore Kesim Ve Doğada Çözünebilir Nitelikte Olmalıdır.</p> <p>Ürün T.S.E. Ve İso Belgesine Sahip Olmalıdır.</p> <p>/</p> <p>70x90 Dimensions, Black Color. Double-Layered, 100 Microns Thick, With A Minimum Weight Of 63 Grams Per Piece (± 2 Grams).</p> <p>Double-Sealed, With A Capacity Of 70 Liters.</p> <p>The Product Should Be Packaged In Its Original Packaging, In Rolls With 10 Pieces Per Roll.</p> <p>Orders Will Be Made In Boxes And There Must Be 240 Pieces Of 24 Rolls In 1 Box. The Original Packaging Should Include The Manufacturer's Name Or Trade Name, Address, Production Date, Any Special Storage Conditions, And Product Specifications.</p> <p>The Bags Should Feature Perforated Cutting And Be Biodegradable.</p>	

		The Product Should Be Certified By Tse (Turkish Standards Institution) And Iso (International Organization For Standardization).	
6	Yer Yıkama Fırçası / Scrubbing Brush	<p>Fırça İle Birlikte En Az 120 Cm Boyunda Ahşap Sap Verilmelidir.</p> <p>Fırçanın Kıl Uzunluğu En Az 8. 10 Cm. Aralığında Olmalıdır.</p> <p>Kıl Tipi Orta Sertlikte Olmalıdır. Kimyasallara Dayanıklı Olmalıdır.</p> <p>Fırçanın Gövdesi Plastik Maddeden Ve 20 Cm. Uzunluğunda Ve 5 Cm. Eninde Olmalıdır.</p> <p>Sap Yuvası Dişli Olmalıdır.</p> <p>Fırça Hortum Takılabilir Özellikte Olmalıdır.</p> <p>/</p> <p>The Brush Should Come With A Wooden Handle Measuring At Least 120 Cm In Length.</p> <p>The Bristle Length Should Be Within The Range Of 8 To 10 Cm.</p> <p>The Bristle Type Should Be Of Medium Stiffness.</p> <p>It Should Be Resistant To Chemicals.</p> <p>The Brush Body Should Be Made Of Plastic Material And Be 20 Cm Long And 5 Cm Wide.</p> <p>The Handle Socket Should Be Threaded.</p> <p>The Brush Should Have The Capability To Attach To A Hose.</p>	
7	Ahşap Saplı Çöp Toplama Küreği / Wooden Handled Metal Shovel	<p>Ölçü: 22x20 Cm</p> <p>Sapı Ahşap Olmalıdır.</p> <p>Kürek Kısmı Dayanıklı Metal Malzemeden Üretilmelidir.</p> <p>Küreğin Metal Kısmının Ebatı 22x20 Cm Olmalıdır.</p> <p>Ahşap Sap Ebatı En Az 30 Cm Olmalıdır.</p> <p>/</p> <p>Dimensions: 22x20 Cm</p> <p>The Handle Should Be Wooden.</p> <p>The Dustpan Part Should Be Made Of Durable Metal Material.</p> <p>The Dimensions Of The Metal Part Of The Dustpan Should Be 22x20 Cm.</p> <p>The Wooden Handle Should Be At Least 30 Cm Long.</p>	




8	<p>Çöp Toplama Aparatı – Kıskaç / Garbage Collection Apparatus - Grapple</p>	<p>Gövdesi Paslanmaz Metal Olmalıdır. Tutma Sapı Plastik Kaplı Metal Olmalıdır. Tutamaç Kısımının Mainimum Ağız Genişliği: 10cm Olmalı. Hafif Ve Kullanımı Kolay Bir Ürün Olmalıdır. Çevrede Izmarit Dahil Küçük Ve Büyük Çöpleri Toplayabilmeye Uygun Bir Ürün Olmalıdır. Ürün Toplam Boyu 90cm'yi Geçmemilir. 80cm'den Az Olmalıdır. Farklı Renklerde Gönderilebilir. Katlanabilir Olmalıdır.</p> <p>/</p> <p>Its Body Must Be Stainless Metal. The Handle Must Be Plastic Coated Metal. The Main Minimum Mouth Width Of The Handle Should Be 10cm. It Should Be A Lightweight And Easy-To-Use Product. There Must Be A Product Suitable For Collecting Small And Large Garbage, Including Butts, In The Environment. The Total Length Of The Product Cannot Exceed 90cm. It Should Not Be Less Than 80cm. Can Be Sent In Different Colors. It Should Be Foldable.</p>	
9	<p>Vileda Set / The Vileda Cleaning Set</p>	<p>Ürün 1 Vileda Kovası, 1 Sıkma Haznesi, 1 Vileda Başı Ve 1 Vileda Sapından Oluşmalıdır. Vileda Başlığı Dönebilir Olmalıdır. Vileda Sapı En Az 130 Cm Uzunluğunda Olmalıdır. Vileda Kovası En Az 15 Litre Olmalıdır. Vileda Başlığı Mikrofiber Olmalıdır. Vileda Sapı Sert Metal Malzeme Olmalıdır. Tse Belgeli Olmalıdır.</p> <p>/</p> <p>The Product Should Consist Of 1 Vileda Bucket, 1 Wringing Mechanism, 1 Vileda Head, And 1 Vileda Handle. The Vileda Head Should Be Rotatable. The Vileda Handle Should Be At Least 130 Cm Long. The Vileda Bucket Should Be At Least 15 Liters. The Vileda Head Should Be Made Of Microfiber. The Vileda Handle Should Be Made Of Sturdy Metal Material. It Should Be Certified By The Turkish Standards Institution (Tse).</p>	


10	Çekpas / Squeegee	<p>Çek-Pasın Üstü Dayanıklı Sert Plastik Malzemedен Üretilmiş Ve Uzun Ömürlü Olmalıdır.</p> <p>Çek-Pasın Altı Dayanıklı Standart Lastikli (Sert) Olmalıdır.</p> <p>Çek-Pas Yüzeyde Kalıntı Bırakmayacak Özellikte Olmalıdır.</p> <p>Çek-Pasın Genişliği En Az 50-En Fazla 60 Cm Olmalıdır.</p> <p>Çek-Pasın Lastiği Su Bırakmadan İyice Suyu Çekme Özelliğinde Olmalıdır.</p> <p>Çek-Pasın Sapı Kaliteli Ve Paslanmaz/Küflenmez Özellikte Sert Plastikten Veya Metalden Olmalıdır.</p> <p>Çek-Pasın Sap Uzunluğu En Az 120 Cm-En Çok 150 Cm Olmalıdır.</p> <p>Çek-Pasın Orijinal Ambalajı/Etiketi Üzerinde Tsek/Tse Veya Iso Kalite Güvence İşareti Basılı Olmalıdır.</p> <p>/</p> <p>The Top Of The Squeegee Should Be Made Of Durable Hard Plastic Material And Should Be Long-Lasting.</p> <p>The Bottom Of The Squeegee Should Be Made Of Durable Standard Hard Rubber.</p> <p>The Squeegee Should Be Designed Not To Leave Any Residue On The Surface.</p> <p>The Width Of The Squeegee Should Be A Minimum Of 50 And A Maximum Of 60 Cm.</p> <p>The Rubber Of The Squeegee Should Have The Ability To Absorb Water Thoroughly Without Leaving Any Water Behind.</p> <p>The Handle Of The Squeegee Should Be Made Of Quality, Rust-Resistant/Non-Corrosive Hard Plastic Or Metal.</p> <p>The Handle Length Of The Squeegee Should Be A Minimum Of 120 Cm And A Maximum Of 150 Cm.</p> <p>The Original Packaging/Label Of The Squeegee Should Have The Tsek/Tse Or Iso Quality Assurance Mark Printed On It.</p>	
----	----------------------	--	--

11	Sokak Süpürgesi / Street Broom	<p>Süpürge Tüm Dış Cephelerde, Cadde, Sokak, Park Alanları Vs. Temizliği İçin Kullanılacak Olup, Dış Etkenlere Karşı Dayanımı Güçlü Olmalıdır.</p> <p>Alımı Yapılacak Süpürgenin Ölçüleri; Genişliği:22-25 Cm Aralığında Yüksekliği:25-30 Cm Aralığında Sap Uzunluğu: 100-110 Cm Aralığında Olacaktır.</p> <p>Alımı Yapılacak Süpürgenin Sapı; Metal Yada Tahta Sap Olmalıdır. Alımı Yapılacak Süpürgenin Sapı İle Süpürge Bağlantı Noktası, Vidalı Olmalıdır. /</p> <p>The Broom Will Be Used For Cleaning All Exterior Surfaces, Such As Streets, Sidewalks, Park Areas, Etc., And It Should Be Highly Resistant To External Factors.</p> <p>The Dimensions Of The Broom To Be Purchased Are As Follows: Width: In The Range Of 22-25 Cm Height: In The Range Of 25-30 Cm Handle Length: In The Range Of 100-110 Cm.</p> <p>The Handle Of The Broom To Be Purchased Must Be Made Of Metal Or Wood. The Connection Point Between The Handle And The Broom Of The Purchased Broom Should Be Screw-Fastened.</p>	
12	Pudrasız Latex Eldiven (L Beden) / Powder-Free Latex Gloves (Size L)	<p>Ürünlerin Hepsini L Beden Olmalıdır. Kutulu Ambalajlarda 100 Adet Ürün Bulunmalıdır.</p> <p>Pudrasız Ve Lateks'ten İmal Edilmiş Olmalıdır.</p> <p>Eldivenler Şekil İtibariyle Anatomik, Kullanım İtibariyle Ergonomik Olmalı Ve Giyildiğinde Eli Kavramalı. Ürün Beyaz Renkte Olmalıdır.</p> <p>Eldivenin Bilek Kısımı Çok Sıkı Ve Çok Gevşek Olmamalıdır. Koncun Kenarı Yırtılma Ve Gevşemeyi Önleyecek Tutucu Özelliği Olan Kıvrımlı Yapıda İmal Edilmiş Olmalıdır. Sağ Ve Sol El Kullanım Farkı Olmaksızın Her İki El İçinde Giyilebilir Nitelikte Olmalıdır. Sıvı Geçirgenliği Olmamalıdır. Yırtılmaya, Delinmeye Dayanıklı Olmalıdır. Ürün Ambalajında Dökülme Ve Saçılmaya Neden Olacak Yıpranma Ve Yırtılma Olmamalıdır.</p> <p>Ambalaj Üstünde Üretim Tarihi Ve Son Kullanma Tarihi Belirtilmiş Olmalıdır Ve Miadı En Az 2 Yıl Olmalıdır.</p>	

		<p>Protein Ve Alerjen Oranı Düşük Olmalıdır. Üretici Firmanın Iso Belgesi Olmalıdır.</p> <p>/</p> <p>Powder-Free Latex Gloves (Size L) All Products Should Be In Size L. Each Box Should Contain 100 Gloves. They Must Be Powder-Free And Made Of Latex.</p> <p>The Gloves Should Be Anatomically Shaped And Ergonomically Designed For Easy Gripping When Worn. They Should Be White In Color.</p> <p>The Wrist Portion Of The Glove Should Not Be Too Tight Or Too Loose. The Cuff Edge Should Have A Curved Structure To Prevent Tearing And Loosening.</p> <p>They Should Be Suitable For Both Left- And Right-Hand Use Without Any Difference In Design. They Should Be Impermeable To Liquids.</p> <p>They Should Be Resistant To Tearing And Puncturing.</p> <p>The Product Packaging Should Not Be Prone To Spillage, Scattering, Or Tearing.</p> <p>The Production Date And Expiration Date Should Be Indicated On The Packaging, And The Shelf Life Should Be At Least 2 Years.</p> <p>The Gloves Should Have Low Levels Of Proteins And Allergens.</p> <p>The Manufacturer Should Have An Iso Certification.</p>	
13	Tekerlekli Çöp Kovası / Wheelie Trash Can	<p>Konteyner Hacmi 120 Lt. Olmalıdır. Yükseklik 940 Mm, Genişlik 480 Mm, Derinlik 540 Mm Olmalıdır.</p> <p>Konteyner Rengi Koyu Yeşil Olmalıdır. Konteynerin Tüm Parçaları Geri Dönüştürülebilir Ve Değiştirilebilir Özellikte Olmalıdır.</p> <p>Çöp Konteynerlerinin Taban Köşelerine, Çekilerek Hareket Edebilmesi İçin Taşıma Miline Takılabilen 2 Adet Hizmet Tipi Tekerlek Monte Edilmiş Olmalıdır.</p> <p>Konteyner Isıya, Darbeye, Soğuğa, Kimyasallara Karşı Dayanıklı Yüksek Yoğunluklu Saf Polietilen Malzemeden İmal Edilmiş Olmalıdır.</p> <p>Çöp Konteynerleri Ultraviyole (Uv) Isınları İle Atmosfere Ve Korozyona Karşı Dayanıklı Pigment İle Desteklenmiş Olmalıdır.</p> <p>Konteynerlerin İmalatında Cadmiyum, Baryum, Kurşun Gibi Çevre Kirliliği Ve Sağlığı Açısından Zararlı Ağır Metaller Bulunmamalıdır.</p> <p>Konteynerler Gövde Et Kalınlığı Asgari 5,5 Mm Olmalıdır.</p>	




	<p>Konteynerler -40 İle +80 C O Arasındaki Sıcaklık Seviyelerine Dayanıklı Şekilde Üretilmiş Olmalıdır.</p> <p>Konteynerler Kapağı Elle Açılabilen Tertibata Sahip Olmalı Ve Tertibat Malzemesi Kapak Üzerinde Tutuşu Kolaylaştıran Şekilde Yapılmış Olmalıdır. Konteynerlerin Tekerlekleri Duracakları Yerdeki Arazi Şartlarına Uygun Mukavemette Ve 2 Adet İmal Edilmiş Olmalıdır.</p> <p>Çöp Konteynerlerinde Kullanılacak Tekerlekler Katı Polietilen Gövde Ve Sert Malzemeden İmal Edilmiş Olup, Tekerlekler Çöp Asitlerine, Atmosfer Şartlarına Dayanıklı Olmalıdır.</p> <p>Tekerlekler 200 Mm Çapında 30-50 Mm Kalınlığında Üretilmiş Mukavemet Artırıcı Katkı Maddeleri İle Tekerlek Güçlendirilmiş Olmalıdır.</p> <p>Konteynerin Taşıma Dingili İki Tarafı Gizli Segmanlı Mil Üzerine İrtibatlı Olup Bu Mil Paslanmaya Karşı Dayanıklı Malzemeden İmal Edilmiş Olmalıdır.</p> <p>/</p> <p>Container Capacity Should Be 120 Liters. Height: 940 Mm, Width: 480 Mm, Depth: 540 Mm.</p> <p>The Color Of The Container Should Be Dark Green.</p> <p>All Parts Of The Container Should Be Recyclable And Replaceable.</p> <p>Two Service-Type Wheels That Can Be Attached To The Transport Axis Should Be Mounted On The Bottom Corners Of The Garbage Containers To Provide Maneuverability.</p> <p>The Container Should Be Made Of High-Density Pure Polyethylene Material Resistant To Heat, Impact, Cold, And Chemicals.</p> <p>Trash Containers Should Be Reinforced With Uv-Resistant Pigment To Withstand Ultraviolet (Uv) Radiation And Atmospheric Corrosion.</p> <p>The Manufacture Of The Containers Should Not Contain Environmentally Harmful Heavy Metals Such As Cadmium, Barium, And Lead.</p> <p>The Body Thickness Of The Containers Should Be At Least 5.5 Mm.</p> <p>The Containers Should Be Produced To Withstand Temperatures Between -40°C And +80°C.</p> <p>The Containers Should Have A Mechanism To Allow Manual Opening Of The Lid, And</p>	
--	---	--



		The Material Of The Mechanism Should Facilitate Easy Gripping Of The Lid.	
14	Tuvalet Fırçası / Toilet Brush	<p>Yuvarlak, Plastik Kılılı Olmalıdır. Mutlaka Plastik Muhafazalı Olmalıdır. Dayanıklı Malzemeden Yapılmış Olmalıdır. Plastik Torbalarda Olmalıdır. Tuvalet Fırçası, Kabı İle (Alt Muhafaza) Birlikte Set Halinde Olmalıdır. /</p> <p>It Should Be Round And Have Plastic Bristles. It Must Be Enclosed In Plastic Casing. It Should Be Made Of Durable Material. It Should Come In Plastic Bags. The Toilet Brush Must Be In A Set With Its Container (Lower Casing).</p>	
15	Lavabo Fırçası / Sink Brush	<p>Lavabo Fırçası Gövde Ve Sapı Sert Plastik Malzemeden Yapılmış Olmalıdır. Gövde Uzunluğu Yaklaşık 10 Cm, Sap Uzunluğu 20-25 Cm.Yi Aşmamalıdır. Lavabo Fırçasının Kılıları Plastikten İmal Edilmiş Olmalıdır. Çabuk Deforme Olmamalı, Kimyasallara Karşı Dirençli Olmalıdır. Lavabo Fırçası Plastik Poşetlerde Olmalıdır /</p> <p>The Body And Handle Of The Sink Brush Must Be Made Of Rigid Plastic Material. The Body Length Should Be Approximately 10 Cm, And The Handle Length Should Not Exceed 20-25 Cm. The Bristles Of The Sink Brush Must Be Made Of Plastic. It Should Not Deform Easily And Should Be Resistant To Chemicals. The Sink Brush Should Be Packaged In Plastic Bags.</p>	
16	Çamaşır Suyu 5 Kg / Bleach 5 Kg	<p>Ürün 5 Kg'lık Kapakları Mühürlü Plastik Bidon Ambalajlarda Olmalıdır. Yüksek Kıvamlı Ve Berrak Sıvı Görünümlü Olmalıdır, Kokusu Rahatsız Edici Olmamalıdır. Dezenfektan Özelliği Olmalıdır. Aktiflor Miktarı (%):4,5 Olmalıdır. Kararlılık Sonrası Aktiflor Miktarı (%) (En Az):4 Olmalıdır. Sodyum Hidroksit Miktarı (%) (En Çok):1,5 Olmalıdır. Ph Değeri (En Az): 11 Olmalıdır. Ph Değeri (En Çok): 13 Olmalıdır. /</p> <p>The Product Must Be Packaged In 5 Kg Plastic Drums With Sealed Lids.</p>	



		<p>It Should Have A High Viscosity And Appear Clear In Liquid Form. Its Odor Should Not Be Unpleasant. It Must Have Disinfectant Properties. The Active Chlorine Content (%) Should Be 4.5. The Active Chlorine Content After Stability (%) (Minimum) Should Be 4. The Sodium Hydroxide Content (%) (Maximum) Should Be 1.5. Ph Value (Minimum) Should Be 11. Ph Value (Maximum) Should Be 13.</p>	
17	Sıvı Sabun 5 Kg/ Liquid Soap 5 Kg	<p>Ürün 5 Kg'lık Kapakları Mühürlü Plastik Bidon Ambalajlarda Olmalıdır. El Sabunu İçeriğinde Ağır Kimyasallar İçermemeli. İçeriğinde Cildi Tahriş Etmeyen Ve Cildi Koruyucu Maddeler Olması Gerekmemektedir. Düz Yüzeyle Olması Gerekmemektedir. İçerisinde Palmiye Yağı Bulundurmamalıdır. İçeriğinde Paraben, Gluten Gibi Zararlı İçeriklerin Ve Petrol Türevleri Olmamalıdır. Anyonik Aktif Madde Miktarı (Yağ Alkolü Eter Sülfat) (%) (En Az): 3 Olmalıdır. Ph Değeri (En Az) (30 C De Direkt Numunede): 5 Olmalıdır. Ph Değeri (En Çok) (30 C De Direkt Numunede): 7 Olmalıdır. Viskozite (Cp) (En Az) (20 C De): 500 Olmalıdır. Viskozite (Cp) (En Çok) (20 C De): 2700 Olmalıdır. Hoş Kokulu Olmalıdır. Ürünler Karışık Renklerde Gönderilmemelidir.</p> <p>The Product Must Be Packaged In 5 Kg Plastic Drums With Sealed Lids. Hand Soap Should Not Contain Heavy Chemicals. It Should Contain Skin-Friendly And Skin-Protective Agents. It Should Have A Smooth Surface. It Should Not Contain Palm Oil. It Should Not Contain Harmful Ingredients Such As Parabens, Gluten, Or Petroleum Derivatives. The Anionic Active Substance (Fatty Alcohol Ether Sulfate) Content (%) (Minimum) Should Be 3. Ph Value (Minimum) (Direct Sample At 30°C): 5. Ph Value (Maximum) (Direct Sample At 30°C): 7. Viscosity (Cp) (Minimum) (At 20°C): 500. Viscosity (Cp) (Maximum) (At 20°C): 2700.</p>	

		<p>It Should Have A Pleasant Scent. Products Should Not Be Sent In Mixed Colours.</p>	
18	Cam Temizleyici 5 Kg / Glass Cleaner 5 Kg	<p>Ürün 5 Kg'lık Kapakları Mühürlü Plastik Bidon Ambalajlarda Olmalıdır. Bidonların Kapakları Mühürlü Olmalıdır. Ürünler Karışık Renklerde Gönderilmemelidir.</p> <p>Cam Temizleyici Ürünün Koklama Ya Da Cilt Ile Temas Halinde Zarar Vermemelidir. Kapalı Alanların Kullanımında Ağır Kokulu Bir Ürün Olmamalıdır. İz Ve Leke Bırakmamalıdır. Ürünün Yanında Uygulama Spreyi Verilmelidir. Camsil Temizleyicinin Aktif Maddelerinin Doğada Parçalanma Özelliği %80 In Üzerinde Olmalıdır. Ph Değeri 7-9 Arasında Olmalıdır. Üretici Firmanın Iso Ve Tse Belgeleri Olmalıdır.</p> <p>/</p> <p>The Product Must Be Packaged In 5 Kg Plastic Drums With Sealed Lids. The Lids Of The Containers Must Be Securely Sealed. Products Should Not Be Shipped In Mixed Colors. The Glass Cleaner Product Should Not Cause Harm Upon Inhalation Or Skin Contact. It Should Not Emit Heavy Odors When Used In Enclosed Spaces. The Cleaner Should Not Leave Streaks Or Stains. An Application Spray Should Be Provided Alongside The Product. The Active Ingredients Of The Glass Cleaner Should Biodegrade By Over 80% In Nature. The Ph Value Should Be Between 7-9. The Manufacturer Should Have Iso And Tse Certificationthe Anionic Active Substance (Fatty Alcohol Ether Sulfate) Content (%) (Minimum) Should Be 3. Ph Value (Minimum) (Direct Sample At 30°C): 5. Ph Value (Maximum) (Direct Sample At 30°C): 7.</p>	

		<p>Viscosity (Cp) (Minimum) (At 20°C): 500. Viscosity (Cp) (Maximum) (At 20°C): 2700. It Should Have A Pleasant Scent. Products Should Not Be Sent In Mixed Colours.</p>	
19	<p>Yüzey Temizleyici 5 Kg / Surface Cleaner 5 Kg</p>	<p>Ürün 5 Kg'l Kapakları Mühürlü Plastik Bidon Ambalajlarda Olmalıdır. Yüzey Temizleyicinin Asiditesi 7,0 ±0.5 Ph Olmalıdır. Ambalaj Üzerinde Mutlaka Ürünün Adı,Üretim /lthal İzin Tarihi Nosu Ve İçeriği Yazılı Olmalıdır. Ürünün Raf Ömrü En Az 2 (iki) Yıl Olmalıdır. Ürün Toksik Ve Zararlı Uçucu Madde İçermemelidir. Ürünün Kullanılan Malzemeler Üzerinde Aşındırıcı, Matlaştırmacı Etkisi Olmamalıdır. Ürünün Cilt,Göz Ve Solunum Yollarına İritan Etkisi Olmamalıdır. Ürün İslanmasında Sakınca Olmayan Her Türlü Yüzeyde (Yer,Duvar,Masa,Her Türlü Cihaz Yüzeyleri) Kullanıma Uygun Olmalıdır. Ürün Uygulamayla Geride Hoş Bir Koku Bırakmalıdır. Ürünün İçerisinde Bulunan Yüzey Aktif Maddeleri Biyolojik Olarak Doğada Parçalanabilmelidir. /</p> <p>The Product Must Be Packaged In 5 Kg Plastic Drums With Sealed Lids. The Acidity Of The Surface Cleaner Should Be Ph 7.0 ±0.5. The Product Name, Production/Import Permit Date, Number, And Content Must Be Written On The Packaging. The Shelf Life Of The Product Should Be At Least 2 (Two) Years. The Product Should Not Contain Toxic Or Harmful Volatile Substances. The Materials Used In The Product Should Not Have Abrasive Or Dulling Effects. The Product Should Not Have Irritating Effects On The Skin, Eyes, Or Respiratory System. The Product Should Be Suitable For Use On Any Surface That Does Not Pose A Risk When Wet (Floor, Wall, Table, All Types Of Device Surfaces).</p>	

		<p>The Product Should Leave A Pleasant Scent After Application.</p> <p>The Surfactants Contained In The Product's Ingredients Should Be Biodegradable In Nature.</p>	
20	<p>Mikrofiber Temizlik Bezi / Microfiber Cleaning Cloth</p>	<p>Ürün 20 Li Paket Halinde Olmalıdır. Su Çekme Özelliği Olmalıdır. Çizmemeli Ve Tüy Bırakmamalıdır. Dayanıklı Olmalıdır. Çevre Dostudu Ve Ergonomik Olmalıdır. Polyester Ve Mikrofiber İçermelidir.</p> <p>The Product Should Be Available In Packs Of 20.</p> <p>It Must Have Water-Absorbing Properties. It Should Be Non-Abrasive And Non-Linting. It Should Be Durable. Environmentally Friendly And Ergonomic. It Should Contain Polyester And Microfiber.</p>	
21	<p>5'li Temizlik Süngeri Paketi / Pack Of 5 Cleaning Sponges</p>	<p>Ürün 5 Li Paket Halinde Olmalıdır. Lavabo Temizliğine Uygun Olmalıdır. Oluklu, Fiberli Olmalıdır.</p> <p>The Product Should Be Available In Packs Of 5.</p> <p>It Should Be Suitable For Sink Cleaning. It Should Be Ribbed And Fibrous.</p>	
22	<p>Askılı Tuvalet Koku Giderici / Hanging Toilet Deodorizer</p>	<p>Ürün Yuvarlak Şekilde Ve Blok Halinde Olmalıdır. Ürün Kristalize Görünümde Olmalıdır. Ürün Plastik Askısı İle Birlikte Olmalıdır. Ürünün Aktif Maddesi Paradiklorobenzen Olmalıdır. Ürün Çeşitli Kokularda Parfüm İçerecek Olup, Tuvalette Bulunan Kötü Kokuları Gidermelidir. Ürün Karton Kolilere Ambalajlanmalıdır.</p> <p>The Product Should Be In A Round And Block-Shaped Form. The Product Should Have A Crystallized Appearance. It Should Come With A Plastic Hanger. The Active Ingredient Of The Product Should Be Paradichlorobenzene. The Product Should Contain Various Fragrances To Eliminate Unpleasant Odors In The Toilet. The Product Should Be Packaged In Cardboard Boxes.</p>	

23	Lateks Temizlik Eldiveni / Latex Cleaning Gloves	<p>Lavabo Ve Tuvalet Temizliğinde Kullanılacağı İçin Temizlik Kimyasallarına Ve Sıvılara Karşı Koruyucu Olmalıdır.</p> <p>Kaymaz Ve Petek Dokulu Yapıya Sahip Olmalıdır.</p> <p>Sarı Renkli Olmalı Ve Lateksten Üretilmelidir.</p> <p>Uzun Süreli Kullanıma Uygun Olmalıdır.</p> <p>Pudrasız Olmalıdır.</p> <p>Eldivenin Ölçüsü Büyük Boy Olmalıdır.</p> <p>The Cleaning Gloves Should Be Protective Against Cleaning Chemicals And Liquids As They Will Be Used For Sink And Toilet Cleaning.</p> <p>They Should Have A Non-Slip And Honeycomb-Textured Structure.</p> <p>They Should Be Yellow In Color And Made Of Latex.</p> <p>Suitable For Long-Term Use.</p> <p>They Should Be Powder-Free.</p> <p>The Size Of The Gloves Should Be Large.</p>	
24	Bulaşık Deterjanı 5 Kg / Dishwashing Detergent 5 Kg	<p>Ürün 5 Kg'lı Kapakları Mühürlü Plastik Bidon Ambalajlarda Olmalıdır.</p> <p>Ürünler Karışık Renklerde Gönderilmemelidir.</p> <p>Elde Yıkayan Bulaşıklar İçin Özel Formüle Edilmiş Hoş Kokulu Ve Köpüklü Olmalıdır.</p> <p>Donmuş Yağ, Yemek Artıklarını, Nişasta Ve Protein Lekelerini Kolayca Temizlemelidir.</p> <p>Kolay Durulanmalı Ve Leke Bırakmamalıdır.</p> <p>Ürünün Yapısında Cildi Koruyucu Maddeler Bulunmalıdır.</p> <p>Kapakta Emniyet Pimi Bulunmalıdır.</p> <p>Aniyonik Ve Noniyonik Yüzey Aktif Maddeler Koruyucu Madde Ve Parfüm İçermelidir.</p> <p>Tse Ve Iso Belgeleri Olmalıdır.</p> <p>Orijinal Ambalaj Üzerinde Üretici Firma Adı, Markası, Ürün Adı, Kullanma Talimatı, Uyarıcı Öneriler, Son Kullanma Tarihi, Yoğunluk Oranı, Ph Değeri İle İlgili Bilgiler Olmalıdır. Bu Bilgiler Orijinal Ambalaj Üzerinde Olmalıdır.</p> <p>The Product Must Be Packaged In 5 Kg Plastic Drums With Sealed Lids.</p> <p>Products Should Not Be Sent In Mixed Colors.</p> <p>It Should Be Specially Formulated For Hand-Washed Dishes, With A Pleasant Scent And Foamy.</p> <p>It Should Easily Remove Frozen Grease, Food Residues, Starch, And Protein Stains.</p>	

		<p>It Should Be Easy To Rinse And Leave No Stains.</p> <p>The Product's Composition Should Include Skin-Protecting Agents.</p> <p>The Cap Should Have A Safety Pin.</p> <p>Anionic And Nonionic Surfactants Should Contain Preservatives And Perfume.</p> <p>Tse And Iso Certifications Are Required.</p> <p>The Original Packaging Should Contain The Manufacturer's Name, Brand, Product Name, Instructions For Use, Cautionary Recommendations, Expiration Date, Density Ratio, And Ph Value. These Details Should Be On The Original Packaging.</p>	
25	Kağıt Havlu Z Katlı / Paper Towel Z-Fold	<p>En Az %90 Selülozdan İmal Edilmiş Olmalıdır.</p> <p>Emiciliği Yüksek Ve Hızlı Olmalıdır. Ayrıca Dayanıklı Olup Islandığında Dağılmamalı Ve Yapışmamalıdır.</p> <p>Ürün Baskısız, Parfümsüz Olmalı Ve Sağlığa Zararlı Maddeler İçermemelidir.</p> <p>Beyaz Renkte Olmalıdır.</p> <p>Yapraklar Z Biçiminde Katlı Bir Sekilde Pakette Olacaktır.</p> <p>Orijinal Ambalajında, Her Pakette 200 Yaprak Olmalıdır.</p> <p>Eni 24 Cm \pm5, Boyu 24 Cm \pm5 Olmalıdır.</p> <p>Ürün Tse Belgeli Olmalıdır.</p> <p>/</p> <p>It Must Be Made Of At Least 90% Cellulose. It Should Have High Absorbency And Be Fast. Additionally, It Should Be Durable, Not Disintegrate Or Stick When Wet.</p> <p>The Product Should Be Unprinted, Unscented, And Free From Harmful Substances.</p> <p>It Should Be White In Color.</p> <p>The Sheets Will Be Folded In Z Shape In The Package.</p> <p>In Its Original Packaging, Each Package Must Contain 200 Sheets.</p> <p>Its Width Should Be 24 Cm \pm5%, And Its Length Should Be 24 Cm \pm5%.</p> <p>The Product Must Be Certified By Tse.</p>	
26	Cerrahi Maske / Surgical Mask	<p>Yırtılmaya Dayanıklı, Kolay Alev Almayan, 3 Katlı, Non-Voven Materyalden Yapılmış Olmalıdır. Bakterilere, Virüslere Ve Mikroskopik Partiküllere Karşı Koruma Sağlar Özellikle Olmalıdır. Sıvı Bariyeri Bulunmalı, Kullanıcıyı Kan Ve Sıvı Sıçramaları İle Bulaşan Enfeksiyonlardan Korumalıdır.</p> <p>Maskenin Burun Üzerine Gelen Kısmında Gizli Tel Destegi Bulunmalıdır.</p>	

	<p>Maske Kanallarında Boşluk Olmamalıdır. Ağız Ve Burnu Tümüyle Kaplamalı, Yüz Kıvrımlarına Uygun Olmalı Ve En Az 2 Körüklü Olmalıdır.</p> <p>Rahat Nefes Alınabilmelidir. Böylelikle Nemin Tek Noktada Yoğunlaşmasına Mani Olacak Yapıya Sahip Olmalı Ve Terletmemelidir. Rahatsız Edici Kokusu Olmamalıdır. Tüylene memeli, Lif Dökmemelidir.</p> <p>Hipoallerjik Olmalı, Cam Elyaf, Lateks Ve Fiberglas İçermemelidir. Lastikli Olmalı, Kulakları Rahatsız Etmeyecek şekilde, Kulağa Takılan Sağlam/Kopmayan Lastikleri Sayesinde Yüze Kolayca Takılabilmelidir. 50 Adetlik Kutular İçinde Teslim Edilmelidir.</p> <p>/</p> <p>Resilient To Tearing, Non-Flammable, Made Of 3-Ply Non-Woven Material. Should Provide Protection Against Bacteria, Viruses, And Microscopic Particles. Must Have A Liquid Barrier To Protect The User From Infections Transmitted By Blood And Fluid Splashes.</p> <p>The Mask Should Have A Hidden Wire Support On The Nose Area. There Should Be No Gaps In The Mask Channels. It Should Fully Cover The Mouth And Nose, Conform To Facial Contours, And Have At Least 2 Pleats.</p> <p>Should Allow For Comfortable Breathing, Prevent Moisture From Accumulating In One Spot, And Should Not Cause Sweating. Must Not Have An Unpleasant Odor, Should Not Shed Fibers Or Lint.</p> <p>Hypoallergenic, Should Not Contain Fiberglass, Latex, Or Other Allergens. Should Have Elastic Straps That Are Durable And Non-Detachable, Allowing For Easy Attachment To The Face Without Causing Discomfort To The Ears.</p> <p>Should Be Delivered In Boxes Containing 50 Masks Each.</p>	
--	--	--

GENERAL TERMS AND CONDITIONS FOR SUPPLY OF SERVICES

1. Definitions and Interpretation

1.1 Definitions. In these Conditions, the following definitions apply:

- (a) **Agreement:** the document entitled Agreement for the Supply of Services, between the Customer and the Supplier.
- (b) **Conditions:** the terms and conditions set out in this document as amended from time to time in accordance with Condition 16.6.

- (c) **Contract:** the contract between Customer and Supplier consisting of the Agreement, these Conditions and, where applicable, the Order. Should there be any inconsistency between the documents comprising the Contract, these Conditions shall have precedence unless otherwise stated in the Agreement or in the Order.
- (d) **Deliverables:** all documents, products and materials developed by the supplier or its agents, contractors and employees as part of or in relation to the Services in any form of media, including without limitation drawings, maps, plans, diagrams, designs, pictures, computer programs, data, specifications and reports (including drafts).
- (e) **Force Majeure Event:** has the meaning given in Condition 15.
- (f) **Order:** The Customer's order for the supply of Services, as set out in the Customer's purchase order form.
- (g) **Services:** the services to be provided by the Supplier (or any part of them) as set out in the Order
- (h) **Specification:** any specification for the Services, including any related plans and drawings, that is agreed in writing by the Customer and the Supplier.

1.2 Interpretation. In these Conditions, unless the context requires otherwise, the following rules apply:

- (a) A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality).
- (b) A reference to a party includes its personal representatives, successors or permitted assigns.
- (c) A reference to a statute or statutory provision is a reference to such statute or provision as amended or re-enacted. A reference to a statute or statutory provision includes any subordinate legislation made under that statute or statutory provision, as amended or re-enacted.
- (d) Any phrase introduced by the terms **including, include, in particular** or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms.

2. The Services

2.1 The Supplier shall meet any performance dates for the Services specified in the Order or notified to the Supplier by the Customer.

2.2 In providing the Services, the Supplier shall:

- (a) ensure that the Services and Deliverables correspond with their description in the Order and any applicable Specification, and that they comply with all applicable statutory and regulatory requirements;

- (b) co-operate with the Customer in all matters relating to the Services, and comply with all instructions of the Customer;
- (c) perform the Services with the best care, skill and diligence in accordance with best practice in the Supplier's industry, profession or trade;
- (d) use personnel who are suitably skilled and experienced to perform tasks assigned to them, and in sufficient number to ensure that the Supplier's obligations are fulfilled in accordance with this Contract;
- (e) provide all equipment, tools and vehicles and such other items as are required to provide the Services;
- (f) use the best quality goods, materials, standards and techniques, and ensure that the Deliverables, and all goods and materials supplied and used in the Services or transferred to the Customer, will be free from defects in workmanship, installation and design;
- (g) observe all health and safety rules and regulations and any other security requirements that apply at any of the Customer's premises;
- (h) not do or omit to do anything which may cause the Customer to lose any licence, authority, consent or permission on which it relies for the purposes of conducting its business, and the Supplier acknowledges that the Customer may rely or act on the Services; and
- (i) not infringe the rights of any third party or cause the Customer to infringe any such rights.

2.3 The Supplier represents and warrants that it has obtained and shall make available to the Customer all licences, clearances, permissions, authorisations, consents and permits necessary for the supply of the Services to the Customer and that the Deliverables shall be fit for all purposes for which the Supplier is or ought reasonably to be aware that they are required by the Customer.

2.4 The Customer reserves the right at any time to inspect work being undertaken in relation to supply of the Services, test the Services and inspect the premises where the Deliverables are being manufactured or stored. The Customer's inspector may adopt any reasonable means to satisfy himself or herself that the correct materials, workmanship and/or care and skill are or have been used.

2.5 If following such inspection or testing the Customer considers that the Services do not conform or are unlikely to comply with the Supplier's undertakings at Condition 2.2, the Customer shall inform the Supplier and the Supplier shall immediately take such remedial action as is necessary to ensure compliance.

2.6 Notwithstanding any such inspection or testing, the Supplier shall remain fully responsible for the Services and any such inspection or testing shall not reduce or otherwise affect the Supplier's obligations under the Contract, and the Customer shall

have the right to conduct further inspections and tests after the Supplier has carried out its remedial actions.

3. Ethical Standards and Audit Requirements

3.1 The Supplier, its suppliers and sub-contractors shall observe the highest ethical standards and comply with all applicable laws, statutes, regulations and codes (including environmental regulations and the International Labour Organisation's international labour standards on child labour and forced labour) from time to time in force.

3.2 The Supplier, its suppliers and sub-contractors shall not in any way be involved directly or indirectly with terrorism, in the manufacture or sale of arms or have any business relations with armed groups or governments for any war related purpose or transport the Goods together with any military equipment. The Supplier shall also warrant that it has checked and will continue to check its staff, suppliers and sub-contractors against the United Kingdom Treasury List of Financial Sanctions Targets, the European Commission's List of Persons and Entities Subject to Financial Sanctions and the list of specially designated individuals and blocked persons maintained by the Office of Foreign Assets Control ('OFAC') of the Department of the Treasury of the United States of America (and any similar list of prohibited persons and entities) and will immediately inform the Customer of any apparent correlation.

3.3 The Supplier shall ensure that its employees, suppliers and sub-contractors are aware of, understand, and adhere to the Customer's:

- (a) Child Safeguarding policy;
- (b) Fraud, Bribery and Corruption policy; and
- (c) Human Trafficking and Modern Slavery policy,

(together, the Mandatory Policies), attached to these Conditions.

3.4 The Supplier, its suppliers and sub-contractors shall be subject to, and shall in relation to the Contract act in accordance with, the IAPG Code of Conduct and any local or international standards which are applicable to the Goods.

3.5 The Supplier is taking reasonable steps (including but not limited to having in place adequate policies and procedures) to ensure it conducts its business (including its relationship with any contractor, employee, or other agent of the Supplier) in such a way as to comply with the Mandatory Policies, and shall upon request provide the Customer with information confirming its compliance.

3.6 The Supplier shall notify the Customer as soon as it becomes aware of any breach, or suspected or attempted breach, of the Mandatory Policies, and shall inform the Customer of full details of any action taken in relation to the reported breach.

3.7 The Supplier agrees to allow the Customer's employees, agents, professional advisers or other duly authorized representatives to inspect and audit all the Supplier's books,

documents, papers and records and other information, including information in electronic format, for the purpose of making audits, examinations, excerpts and transcriptions. The Supplier agrees the extension of such rights to duly authorized representatives of the European Commission, the European Court of Auditors and the European Anti-Fraud Office (OLAF), the United States Government, the Controller General of the United States and any other such representatives instructed by a donor organization of the Customer to carry an audit of the Supplier's operations.

4. Performance

- 4.1 The Supplier shall perform the Services in accordance with the timing specified in the Agreement. Time shall be of the essence in respect of this Condition 4.1.
- 4.2 If the Supplier fails to comply with the time requirement referred to in Condition 4.1 the Customer, without prejudice to its other rights under the Contract, shall be under no obligation to make payment in respect of any Services which are not accepted.
- 4.3 The Services shall be supplied at the destination and on the date or within the period specified in the Agreement and, in any event, during the Customer's usual business hours or as instructed by the Customer.
- 4.4 The Customer shall not be deemed to have accepted any Services until the Customer has had reasonable time to inspect them following performance.
- 4.5 The Customer shall be entitled to reject any Services supplied which are not in accordance with the Agreement. If any goods that belong to the Customer or that the Customer has agreed to purchase are being transported as part of the Services, such goods shall be returned to the Customer without delay.
- 4.6 If any Services are so rejected, at the Customer's option, the Supplier shall forthwith re-supply substitute Services which conform with the Contract. Alternatively, the Customer may cancel the Contract, return any Deliverables to the Supplier at the Supplier's expense and claim costs and direct damages from the Supplier.
- 4.7 The Supplier shall ensure that it is available at the request of the Customer outside normal business hours, in order to address the requirements of any emergency in a timely fashion.

5. Indemnity

- 5.1 The Supplier shall keep the Customer indemnified in full against all costs, expenses, damages and losses (whether direct or indirect), including any interest, penalties, and legal and other professional fees and expenses awarded against or incurred or paid by the Customer as a result of or in connection with:
 - (a) breach of any warranty given by the Supplier in Condition 9;
 - (b) personal injury, death or damage to property caused to the Customer or its employees arising out of, or in connection with, defects in the supply of the Services, to the extent

that the defect in the Services is attributable to the acts or omissions of the Supplier, its employees, agents or subcontractors;

- (c) any claim made against the Customer for actual or alleged infringement of a third party's intellectual property rights arising out of, or in connection with, the supply or use of the Services, to the extent that the claim is attributable to the acts or omissions of the Supplier, its employees, agents or subcontractors;
- (d) any claim made against the Customer by a third party arising out of, or in connection with, the supply of the Services, to the extent that such claim arises out of the breach, negligent performance or failure or delay in performance of the Contract by the Supplier, its employees, agents or subcontractors;
- (e) any claim made against the Customer by a third party for death, personal injury or damage to property arising out of, or in connection with, defects in the supply of the Services, to the extent that the defect in the Services is attributable to the acts or omissions of the Supplier, its employees, agents or subcontractors; and
- (f) any claim in respect of death or personal injury howsoever caused to any of the employees of the Supplier whilst at the premises of the Customer save where caused by the direct negligence of the Customer or its respective employees or agents.

6. Price and Payment

- 6.1 The price of the Services shall be the price set out in the Order which includes packing, labelling, carriage, insurance, delivery, royalties and licence fees (if applicable) and all other charges, taxes, duties and impositions and is not subject to alteration for any reason whatsoever.
- 6.2 The Customer reserves the right to withhold payment in respect of Services supplied which are defective, rejected or otherwise not in accordance with the requirements of the Contract.
- 6.3 The Customer may, without limiting any other rights or remedies it may have, set off any amount owed to it by the Supplier against any amounts payable by it to the Supplier under the Contract.

7. Termination

- 7.1 The Customer may terminate the Contract in whole or in part at any time and for any reason whatsoever by giving the Supplier at least one month's written notice.
- 7.2 The Customer may terminate the Contract with immediate effect by giving written notice to the Supplier and claim any losses (including all associated costs, liabilities and expenses including legal costs) back from the Supplier at any time if:
 - (a) the Supplier is in material breach of its obligations under the Contract; or

- (b) the Supplier is in breach of its obligations under the Contract and fails to remedy such breach (where the breach is capable of remedy) within 14 days of written request; or
- (c) the Supplier becomes insolvent or makes any voluntary arrangement with its creditors or (being an individual or corporate entity) becomes subject to an administration order or goes into liquidation or the Supplier ceases, or threatens to cease, to carry on business; or
- (d) the Customer reasonably believes that any of the events mentioned above in subsections (a) through (c) is about to occur in relation to the Supplier and notifies the Supplier accordingly; or
- (e) the Customer reasonably believes that continuing contractual relations with the Supplier may damage the reputation of the Customer; or
- (f) the Customer reasonably believes that the Supplier has or is engaged in corrupt, fraudulent, collusive or coercive practices.

7.3 Termination of the Contract shall not affect Conditions 2.2, 4.2(a), 4.4, 4.5, 4.6, 5, 8, 9, 12, 13, 14, and 16.7 which shall continue without limit in time. Termination of the Contract shall not affect any rights, liabilities or remedies arising under the Contract prior to such termination.

8. Customer's Name, Branding and Logo

The Supplier shall not use the Customer's name, branding or logo other than in accordance with the Customer's written instructions or authorization.

9. The Supplier's Warranties

9.1 The Supplier warrants to the Customer that:

- (a) the Services will be performed by appropriately qualified and trained personnel, with the best care, skill and diligence and to such high standards of quality as it is reasonable for the Customer to expect in all the circumstances;
- (b) it has all authorisations from all relevant third parties to enable it to supply the Services without infringing any applicable law, regulation, code or practice or any third party's rights and has all necessary internal authorisations to approve the execution and performance under the Contract and will produce evidence of that action to the Customer on its request;
- (c) it will ensure that the Customer is made aware of all relevant requirements of any applicable law, regulation or code of practice which applies or is relevant to the supply of the Services to the Customer;
- (d) information in written or electronic format supplied by, or on behalf of, the Supplier to the Customer at any stage during the tender process, the negotiation process, the due diligence process or the term of the Contract was complete and accurate in all material

respects at the time it was supplied, and any amendments or changes to the previously supplied information will be provided to the Customer without delay;

- (e) it will not and will procure that none of its employees will accept any commission, gift, inducement or other financial benefit from any supplier or potential supplier of the Customer;
- (f) none of its directors or officers or any of the employees of the Supplier has any interest in any supplier or potential supplier of the Customer or is a party to, or are otherwise interested in, any transaction or arrangement with the Customer; and

9.2 In case of any situation constituting or likely to lead to a breach of a warranty in Clause 9.1 during the term of this Contract, the Supplier shall:

- (a) notify the Customer in writing and without delay of such breach; and
- (b) take all necessary steps to rectify this situation.

The Customer reserves the right to verify that the measures taken are appropriate and to request additional steps are taken with a specified time period. Failure to implement the requested measures may lead to the termination of the Contract. These rights are without prejudice to the Customer's rights in Clause 9.1

10. Re-tendering

The Supplier undertakes to fully co-operate with the Customer in relation to any tender process which may, at the option of the Customer, be carried out at any time in relation to the supply of any of the Services.

11. Insurance

During the term of the Contract, the Supplier shall maintain in force, with a reputable insurance company, professional indemnity insurance, product liability insurance and public liability insurance to cover such heads of liability as may arise under or in connection with the Contract, and shall, on the Customer's request, produce both the insurance certificate giving details of cover and the receipt for the current year's premium in respect of each insurance.

12. Confidentiality

A party (**Receiving Party**) shall keep in strict confidence all technical or commercial know-how, Specifications, inventions, processes or initiatives which are of a confidential nature and have been disclosed to, or otherwise obtained by, the Receiving Party by the other party (**Disclosing Party**), its employees, agents or subcontractors, and any other confidential information concerning the Disclosing Party's business or its products or its services which the Receiving Party may obtain (the **Confidential Information**). The Receiving Party shall restrict disclosure of such Confidential Information to such of its employees, agents or subcontractors as need to know it for the purpose of discharging the Receiving Party's obligations under the Contract, and shall ensure that such employees, agents or subcontractors are subject to obligations of confidentiality corresponding to those which bind the Receiving Party.

13. Customer property

The Supplier acknowledges that all materials, equipment and tools, drawings, Specifications, and data supplied by the Customer to the Supplier (**Customer Materials**) and all rights in the Customer Materials are and shall remain the exclusive property of the Customer. The Supplier shall keep the Customer Materials in safe custody at its own risk, maintain them in good condition until returned to the Customer, and not dispose or use the same other than in accordance with the Customer's written instructions or authorisation.

14. Notices

14.1 Any notice under or in connection with the Contract shall be given in writing to the address specified in the Agreement or to such other address as shall be notified from time to time in accordance with this Condition and shall be sent by prepaid first-class post, recorded delivery, e-mail, fax or by commercial courier. All notices sent internationally shall be sent by courier or e-mail.

14.2 Any notice shall be deemed to have been duly received if sent by prepaid first-class post or recorded delivery, on the second day after posting, or if delivered by commercial courier, on the date that the courier's delivery receipt is signed.

14.3 This Condition 14 shall not apply to the service of any proceedings or other documents in any legal action. For the purposes of this Condition, writing shall include e-mails and faxes.

15. Force majeure

15.1 Neither party shall be liable for any failure or delay in performing its obligations under the Contract to the extent that such failure or delay is caused by a Force Majeure Event provided that the Supplier shall use best endeavours to cure such Force Majeure Event and resume performance under the Contract.

15.2 A Force Majeure Event means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including strikes, lock-outs or other industrial disputes (whether involving its own workforce or a third party's), acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, armed conflict, malicious damage, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters, or extreme adverse weather conditions.

15.3 If any events or circumstances prevent the Supplier from carrying out its obligations under the Contract for a continuous period of more than 14 days, the Customer may terminate the Contract immediately by giving written notice to the Supplier.

16. General

16.1 Assignment and subcontracting:

16.2 The Customer may at any time assign, transfer, charge, subcontract, novate or deal in any other manner with any or all of its rights or obligations under the Contract.

16.3 The Supplier may not assign, transfer, charge, subcontract, novate or deal in any other manner with any or all of its rights or obligations under the Contract without the Customer's prior written consent.

16.4 Severance:

- (a) If any court or competent authority finds that any provision of the Contract (or part of any provision) is invalid, illegal or unenforceable, that provision or part-provision shall, to the extent required, be deemed to be deleted, and the validity and enforceability of the other provisions of the Contract shall not be affected.
- (b) If any invalid, unenforceable or illegal provision of the Contract would be valid, enforceable and legal if some part of it were deleted, the provision shall apply with the minimum modification necessary to make it legal, valid and enforceable.

16.5 Waiver and cumulative remedies:

- (a) No waiver of any right or remedy under the Contract shall be effective unless it is in writing and signed by both parties. No failure or delay by a party in exercising any right or remedy under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor preclude or restrict its further exercise. No single or partial exercise of such right or remedy shall preclude or restrict the further exercise of that or any other right or remedy.
- (b) Unless specifically provided otherwise, rights arising under the Contract are cumulative and do not exclude rights provided by law.

16.6 No partnership: Nothing in the Contract is intended to, or shall be deemed to, constitute a partnership or joint venture of any kind between the parties, nor constitute any party the agent of another party for any purpose. No party shall have authority to act as agent for, or to bind, the other party in any way.

16.7 Third party rights: A person who is not a party to the Contract shall not have any rights under or in connection with it.

16.8 Variation: Except as set out in these Conditions, any variation to the Contract, including the introduction of any additional terms and conditions, shall only be binding when agreed in writing and signed by the Customer. The Customer reserves the right to conduct a formal review of the Contract after 12 months. For the avoidance of doubt, no terms and conditions produced by the Supplier, including, but not limited to, those forming part of the Supplier's quotation, shall supersede and take precedence over these Conditions and the Contract.

16.9 Governing law and jurisdiction: The Contract shall be governed by and construed in accordance with English law. The parties irrevocably submit to the exclusive jurisdiction of the courts of England and Wales to settle any dispute or claim arising out

of or in connection with the Contract or its subject matter or formation (including non-contractual disputes or claims).